

■ GReddy レーシングプラグ適合表

TOYOTA

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
86	2000	ZN6	FA20(DOHC)	12.4～	－	4	ZXE27HBR8
bB	1300	NCP30	2NZ-FE	00.2～05.12	ISO	4	BKR5EYA-11
	1300	QNC20.25	K3-VE	05.12～	ISO	4	IKR7D
	1500	NCP31.35	1NZ-FE	00.2～05.12	ISO	4	BKR5EYA-11
	1500	NCP34	1NZ-FE	01.6～05.12	ISO	4	BKR5EYA-11
	1500	QNC21	3SZ-VE	05.12～	ISO	4	IKR7D
FJクルーザー	4000	GSJ15W	1GR-FE	10.12～	L	6	SK20HR11
iQ	1000	KGJ10	1KR-FE	08.11～	L	3	SK16HR11
	1300	NGJ10	1NR-FE	09.8～	－	4	ILKAR7B11
MR-2	1600	AW11	4A-GELU	84.6～89.10	JIS	4	BCPR5EP-11
	1600	AW11	4A-GZELU(S/C)	84.6～89.10	JIS	4	BCPR6EP-11
	2000	SW20	3S-GE	89.10～97.12	ISO	4	BKR6EP-8
	2000	SW20	3S-GE	97.12～99.10	ISO	4	BKR6EP-11
	2000	SW20	3S-GTE(ターボ)	89.10～99.10	ISO	4	BKR6EP-8
MR-S	1800	ZZW30	1ZZ-FE	99.10～07.7	ISO	4	BKR5EYA-11
	1800	ZCA25W.26W	1ZZ-FE	00.5～05.11	ISO	4	BKR5EYA-11
	2000	SXA10G.11G	3S-FE	94.5～97.9	ISO	4	BKR6EYA-11

RAV4	2000	SXA10C.10G.10W.11G.11W.15G.16G	3S-FE	97.9～00.5	ISO	4	BKR6EKB-11
	2000	SXA10W.11W	3S-GE	96.8～98.8	ISO	4	BKR6EP-8
	2000	SXA10W.11W	3S-GE	98.8～00.5	ISO	4	BKR6EP-11
	2000	ACA20W.21W	1AZ-FSE	00.5～05.11	-	4	SK20BGR11
	2400	ACA31W.36W	2AZ-FE	05.11～12.6	ISO	4	IFR6A11
	2400	ACA31W.36W	2AZ-FE	12.6～	ISO	4	IFR6A11
SAI	2400	AZK10(ハイブリッド)	2AZ-FXE	09.12～12.6	ISO	4	IFR6A11
	2400	AZK10(ハイブリッド)	2AZ-FXE	12.6～	ISO	4	IFR5A11
WiLL Vi	1300	NCP19	2NZ-FE	00.1～01.12	ISO	4	BKR5EYA-11
WiLL VS	1500	NZE127	1NZ-FE	02.1～04.4	ISO	4	BKR5EYA-11
	1800	ZZE127.129	1ZZ-FE	01.4～04.4	ISO	4	BKR5EYA-11
	1800	ZZE128	2ZZ-GE	02.1～04.4	ISO	4	IFR6A11
WiLL サイファ	1300	NCP70	2NZ-FE	02.11～05.7	ISO	4	BKR5EYA-11
	1500	NCP75	1NZ-FE	02.11～05.7	ISO	4	BKR5EYA-11
アイシス	1800	ZNM10G(W)	1ZZ-FE	04.9～09.9	ISO	4	BKR5EYA-11
	1800	ZGM10G(W).15G(W)	2ZR-FAE	09.9～	-	4	ILKAR7B11
	2000	ANM10G(W).15G(W)	1AZ-FSE	04.9～09.9	-	4	SK20BGR11
	2000	ZGM11G(W)	3ZR-FAE	09.9～	-	4	ILKAR7B11
アクア	1500	NHP10	1NZ-FXE(ハイブリッド)	11.12～	-	4	BKR5ERX-P
	3000	JZS147	2JZ-GE	91.10～97.8	ISO	6	BKR5EP-11

アリスト	3000	JZS160	2JZ-GE	97.8～05.8	ISO	6	BKR5EKPБ-11
	3000	JZS147	2JZ-GET(ターボ)	91.10～93.7	ISO	6	BKR6EP-8
	3000	JZS147	2JZ-GET(ターボ)	93.8～97.8	ISO	6	BKR6EP-11
	3000	JZS161	2JZ-GET(ターボ)	97.8～05.8	ISO	6	BKR6EKPБ-11
	4000	UZS143	1UZ-FE	92.10～97.8	ISO	8	BKR6EP-11
アルテッツァ	2000	GXE10	1G-FE	98.10～01.5	ISO	6	BKR6EYA-11
	2000	GXE10	1G-FE	01.5～02.8	ISO	6	BKR5EYA-11
	2000	GXE10	1G-FE	02.8～05.9	ISO	6	BKR6EYA-11
	2000	SXE10	3S-GE	98.10～01.5	ISO	4	BKR6EP-11
	2000	SXE10(6MT車)	3S-GE	01.5～02.8	ISO	4	BKR6EP-11
	2000	SXE10(5AT車)	3S-GE	01.5～02.8	ISO	4	PK20R11
	2000	SXE10	3S-GE	02.8～05.9	ISO	4	IFR6A11
アルテッツァ ジータ	2000	GXE10W	1G-FE	01.7～02.8	ISO	6	BKR5EYA-11
	2000	GXE15W	1G-FE	01.12～02.8	ISO	6	BKR5EYA-11
	3000	JCE10W.15W	2JZ-GE	01.7～05.9	ISO	6	PK16TR11
アルファード	2400	ANH20W.25W	2AZ-FE	08.5～	ISO	4	IFR6A11
	3500	GGH20W.25W	2GR-FE	08.5～	L	6	DILFR6D11
アルファードG/V	2400	ANH10W.15W	2AZ-FE	02.5～08.5	ISO	4	BKR6EYA-11
	3000	MNH10W.15W	1MZ-FE	02.5～08.5	ISO	6	IFR6A11
アルファードハイブリッド	2400	ATH10W	2AZ-FXE	03.7～11.11	ISO	4	IFR6A11

アルノアートハイノリット	2400	ATH20W	2AZ-FXE	11.11～	ISO	4	IFR6A11
アレックス	1500	NZE121.124	1NZ-FE	01.1～04.4	ISO	4	BKR5EYA-11
	1500	NZE121(2WD.AT)	1NZ-FE	04.4～06.10	L	4	DILFR6D11
	1500	NZE121(4WD.AT)	1NZ-FE	04.4～06.10	ISO	4	BKR5EYA-11
	1800	ZZE122.124	1ZZ-FE	02.9～06.10	ISO	4	BKR5EYA-11
	1800	ZZE123	2ZZ-GE	01.1～06.10	ISO	4	IFR6A11
イスト	1300	NCP60	2NZ-FE	02.5～07.7	ISO	4	BKR5EYA-11
	1500	NCP61.65	1NZ-FE	02.5～07.7	ISO	4	BKR5EYA-11
	1500	NCP110.115	1NZ-FE	07.7～07.11	L	4	DILFR6D11
	1500	NCP110.115	1NZ-FE	07.11～	-	4	FK16HR11
	1800	ZSP110	2ZR-FAE	07.7～10.8	-	4	ILKAR7B11
イプサム	2000	SXM10G.15G	3S-FE	96.5～01.5	ISO	4	BKR6EKB-11
	2400	ACM21W.26W	2AZ-FE	01.5～09.12	ISO	4	BKR6EYA-11
ヴァンガード	2400	ACA33W.38W	2AZ-FE	07.8～12.6	ISO	4	IFR6A11
	2400	ACA33W.38W	2AZ-FE	12.6～	ISO	4	IFR5A11
	3500	GSA33W	2GR-FE	07.8～	L	6	DILFR6D11
ウィッツシュ	1800	ZNE10G.14G	1ZZ-FE	03.1～09.4	ISO	4	BKR5EYA-11
	2000	ANE10G.11W	1AZ-FSE(D-4)	03.4～09.4	-	4	SK20BGR11
	1800	ZGE20G(W).25G(W)	2ZR-FAE	09.4～	-	4	SC20HR11
	2000	ZGE21G.22W	3ZR-FAE	09.4～	-	4	SC20HR11

ヴィッツ	1000	SCP10	1SZ-FE	99.1～05.2	ISO	4	BKR5EYA
	1000	KSP90	1KR-FE	05.2～10.12	L	4	SK20HR11
	1000	KSP130	1KR-FE	10.12～14.2	L	4	SK20HR11
	1000	KSP130	1KR-FE	14.2～	－	4	－
ヴィッツ	1300	NCP10.15.95	2NZ-FE	99.8～10.12	ISO	4	BKR5EYA-11
	1300	SCP13	2SZ-FE	02.12～05.12	L	4	ILFR5C11
	1300	SCP90	2SZ-FE	05.2～10.12	L	4	ILFR5C11
	1300	NSP130.135	1NR-FE	10.12～14.2	－	4	ILKAR7B11
	1300	NSP130	1NR-FKE	14.2～	－	4	－
	1300	NSP135	1NR-FE	14.2～	－	4	ILKAR7B11
	1500	NCP13	1NZ-FE	00.10～05.2	ISO	4	BKR5EYA-11
	1500	NCP91	1NZ-FE	05.2～07.11	L	4	DILFR6D11
	1500	NCP91	1NZ-FE	07.11～10.12	－	4	FK20HR11
	1500	NCP131	1NZ-FE	10.12～14.2	－	4	FK16HR11
ウィンダム	2500	VCV11	4VZ-FE	93.8～96.8	JIS	6	BCPR6EI-11P
	2500	MCV21	2MZ-FE	96.8～01.7	ISO	6	BKR6EKPБ-11
	3000	VCV10	3VZ-FE	91.10～96.8	JIS	6	BCPR6EI-11P
	3000	MCV20	1MZ-FE	96.8～98.8	ISO	6	BKR6EKPБ-11
	3000	MCV20	1MZ-FE	98.8～01.8	ISO	6	IFR6A11
	3000	MCV30	1MZ-FE	01.8～06.1	ISO	6	IFR6A11

ヴェルファイア	2400	ANH20W.25W	2AZ-FE	08.5～	ISO	4	IFR6A11
	3500	GGH20W.25W	2GR-FE	08.5～	L	6	DILFR6D11
ヴェルファイアハイブリッド	2400	ATH20W	2AZ-FXE	11.11～	ISO	4	IFR6A11
ヴェロツサ	2000	GX110.115	1G-FE	01.7～04.4	ISO	6	BKR5EYA-11
	2500	JZX110	1JZ-GTE	01.7～04.4	ISO	6	PK20TR11
	2500	JZX110	1JZ-FSE(D-4)	01.7～04.4	-	6	SK20BR11
ヴォルツ	1800	ZZE136.138	1ZZ-FE	02.8～04.4	ISO	4	IFR5A11
	1800	ZZE137	2ZZ-GE	02.8～04.4	ISO	4	IFR5A11
エスティマ	2400	TCR10W.11W.20W.21W	2TZ-FE	90.5～98.1	ISO	4	BKR5EP-11
	2400	TCR10W.11W.20W.21W	2TZ-FZE	94.8～00.1	ISO	4	BKR6EP-11
	2400	ACR30W.40W	2AZ-FE	00.2～06.1	ISO	4	BKR6EYA-11
	2400	ACR50W.55W	2AZ-FE	06.1～12.5	ISO	4	IFR6A11
	2400	ACR50W.55W	2AZ-FE	12.5～	ISO	4	IFR5A11
	3000	MCR30W.40W	1MZ-FE	00.2～06.1	ISO	6	IFR6A11
	3500	GSR50W.55W	2GR-FE	06.1～	L	6	DILFR6D11
エスティマハイブリッド	2400	AHR10W	2AZ-FXE	01.6～06.6	ISO	4	IFR6A11
	2400	AHR20W	2AZ-FXE	06.6～12.5	ISO	4	IFR6A11
	2400	AHR20W	2AZ-FXE	12.5～	ISO	4	IFR5A11
ルシーダ／エミーナ	2400	TCR10G.11G.20G.21G	2TZ-FE	92.1～00.1	ISO	4	BKR5EP-11
オーパ	1800	ZCT10.15	1ZZ-FE	00.5～05.12	ISO	4	BKR5EYA-11

オーリス	2000	ACT10	1AZ-FSE(D-4)	00.5~05.12	-	4	SK20BGR11
オーリス	1500	NZE151H.154H	1NZ-FE	06.10~07.11	L	4	DILFR6D11
	1500	NZE151H.154H	1NZ-FE	07.11~12.8	-	4	FK16HR11
	1500	NZE181H.184H	1NZ-FE	12.8~	-	4	FK16HR11
	1800	ZRE152H.154H	2ZR-FE.2ZR-FAE	06.10~12.8	-	4	ILKAR7B11
	1800	ZRE186H	2ZR-FAE	12.8~	-	4	ILKAR7B11
カムリ	1800	SV40	4S-FE	94.7~96.5	ISO	4	BKR6EYA-11
	1800	SV40	4S-FE	96.5~98.7	ISO	4	BKR6EKB-11
	2000	SV41.42.43	3S-FE	94.7~96.5	ISO	4	BKR6EYA-11
	2000	SV41.42.43	3S-FE	96.5~98.7	ISO	4	BKR6EKB-11
	2200	SXV20.25	5S-FE	99.8~01.8	ISO	4	BKR6EKPB-11
	2400	ACV30.35	2AZ-FE	01.9~06.1	ISO	4	BKR6EYA-11
	2400	ACV40.45	2AZ-FE	06.1~11.9	ISO	4	IFR6A11
	2500	MCV21	2MZ-FE	99.8~01.8	ISO	6	BKR6EKPB-11
	2500	AVX50(ハイブリッド)	2AR-FXE	11.9~	-	4	FK16HR-A8
	1500	ET196V	5E-FE	92.11~97.8	ISO	4	BKR5EYA-11
	1500	ET196V	5E-FE	97.8~02.9	ISO	4	BKR5EKB-11
	1800	ST190G	4S-FE	92.11~96.1	ISO	4	BKR6EYA-11
	1800	AT191G	7E-FE	96.1~97.9	ISO	4	BKR5EKPB-13
	1800	AT211G	7E-FE	97.9~02.9	ISO	4	BKR5EKPB-13

カルディナ	1800	ZZT241W	1ZZ-FE	02.9～07.6	ISO	4	BKR5EYA-11
	2000	ST191G.195G	3S-FE	92.11～96.1	ISO	4	BKR6EYA-11
	2000	ST191G.195G	3S-FE	96.1～97.9	ISO	4	BKR6EKB-11
	2000	ST195G	3S-GE	95.2～97.9	ISO	4	BKR6EP-8
	2000	ST198V	3S-FE	99.8～02.9	ISO	4	BKR6EKB-11
	2000	ST210G.215G	3S-FE	97.9～02.9	ISO	4	BKR6EKB-11
	2000	ST210G.215G	3S-GE	97.9～02.9	ISO	4	BKR6EP-8
	2000	AZT241W.246W	1AZ-FSE(D-4)	02.9～07.6	-	4	SK20BGR11
	2000	ST215W	3S-GTE	97.9～02.9	ISO	4	BKR6EP-8
	2000	ST246W	3S-GTE	02.9～07.6	ISO	4	IFR6A8
カローラ／セレス レビン／FX	1600	AE86	4A-GEU	83.5～87.5	JIS	4	BCPR5EP-11
	1600	AE92	4A-GE	87.5～89.5	JIS	4	BCPR5EP-11
	1600	AE92	4A-GE	89.6～92.5	ISO	4	BKR6EP-8
	1600	AE92	4A-GZE(S/C)	87.5～91.6	JIS	4	BCPR6EP-N-8
	1600	AE101.104/G	4A-FE	91.6～95.5	ISO	4	BKR5EYA-11
	1600	AE101/G	4A-GE	91.6～95.5	ISO	4	BKR6EP-11
	1600	AE101	4A-GZE(S/C)	91.6～95.5	JIS	4	BCPR6EP-N-8
	1600	AE109V.111.114	4A-FE	05.5～96.5	ISO	4	BKR6EP-11
	1600	AE109V.111.114	4A-FE	96.5～00.8	ISO	4	BKR5EYA-11
	1600	AE111	4A-GE	95.5～00.8	ISO	4	BKR6EP-11

	1800	ZZE122.124	1ZZ-FE	00.8～06.10	ISO	4	BKR5EYA-11
カローラアクシオ	1300	NRE160	1NR-FE	12.5～	-	4	ILKAR7B11
	1500	NZE141.144	1NZ-FE	06.10～07.11	L	4	DILFR6D11
	1500	NZE141.144	1NZ-FE	07.11～	-	4	FK16HR11
	1500	NKE165(ハイブリッド)	1NZ-FXE	13.8～	-	4	FK16R-AL8
カローラアクシオ	1800	ZRE142.144	2ZR-FE	06.10～	-	4	ILKAR7B11
	1800	ZRE142.144	2ZR-FAE	10.4～	-	4	ILKAR7B11
カローラスパシオ	1500	NZE121N	1NZ-FE	01.5～07.6	ISO	4	BKR5EYA-11
	1600	AE111N	4A-FE	97.1～01.5	ISO	4	BKR5EYA-11
	1800	AE115N	7A-FE	97.7～01.5	ISO	4	BKR5EYA-11
	1800	ZZE122N.124N	1ZZ-FE	01.5～07.6	ISO	4	BKR5EYA-11
カローラフィールダー	1500	NZE121G.124G	1NZ-FE	00.8～04.4	ISO	4	BKR5EYA-11
	1500	NZE121G(MT車)	1NZ-FE	04.4～06.10	ISO	4	BKR5EYA-11
	1500	NZE121G(AT車)	1NZ-FE	04.4～06.10	-	4	ILFR6D11
	1500	NZE124G	1NZ-FE	04.4～06.10	ISO	4	BKR5EYA-11
	1500	NZE141G.144G	1NZ-FE	06.10～07.11	L	4	DILFR6D11
	1500	NZE141G.144G	1NZ-FE	07.11～	-	4	FK16HR11
	1500	NKE165G	1NZ-FXE	13.8～	-	4	-
	1800	ZZE122G.124G	1ZZ-FE	00.8～06.10	ISO	4	BKR5EYA-11
	1800	ZZE123G	2ZZ-GE	00.8～06.10	ISO	4	IFR6A11

	1800	ZRE142G.144G	2ZR-FE	06.10～	－	4	ILKAR7B11
	1800	ZRE142G.144G	2ZR-FAE	10.4～	－	4	ILKAR7B11
カローラランクス	1500	NZE121.124	1NZ-FE	01.1～04.4	ISO	4	BKR5EYA-11
	1500	NZE121(2WD.AT)	1NZ-FE	04.4～06.10	L	4	DILFR6D11
	1500	NZE124(4WD.AT)	1NZ-FE	04.4～06.10	ISO	4	BKR5EYA-11
	1800	ZZE122.124	1ZZ-FE	02.9～06.10	ISO	4	BKR5EYA-11
	1800	ZZE123	2ZZ-GE	01.1～06.10	ISO	4	IFR6A11
カローラルミオン	1500	NZE151N	1NZ-FE	07.10～	－	4	FK16HR11
	1800	ZRE152N.154N	2ZR-FE	07.10～	－	4	SC20HR11
	2500	JZS171(W).JZS173(W)	1JZ-GE	99.9～01.9	ISO	6	SK16R-P11
	2500	JZS171(W)	1JZ-FSE(D-4)	01.9～08.2		6	SK20BR11
	2500	JZS171(W)	1JZ-GTE	99.9～08.2	ISO	6	BKR6EKPБ-11
	2500	JZS173(W)	1JZ-GE	01.9～08.2	ISO	6	SK16R-P11
	2500	GRS180.181	4GR-FSE(D-4)	03.12～08.2	－	6	FK20HBR11
	2500	GRS200.201	4GR-FSE(D-4)	08.2～	－	6	FK20HBR11
	2500	GRS210.211	4GR-FSE(D-4)	13.1～	－	6	－
	2500	AWS210	2GR-FSE(ハイブリッド)	13.1～	－	6	FK20HBR8
	3000	JZS179	2JZ-GE	99.9～01.9	ISO	6	BKR5EKPБ-11
	3000	JZS179	2JZ-GE	01.9～03.4	ISO	6	PK16TR11
	3000	JZS175(W).177	2JZ-FSE(D-4)	99.9～03.4	－	6	SK20BR11

クラウン／マジェスタ	3000	JKS175(ハイブリッド)	2JZ-FSE(D-4)	01.9～03.4	－	6	SK20BR11
	3000	GRS182.183	3GR-FSE(D-4)	03.12～08.2	－	6	FK20HBR11
	3000	GRS202.203	3GR-FSE(D-4)	08.2～	－	6	FK20HBR11
	3500	GRS184	2GR-FSE(D-4)	05.10～08.2	－	6	FK20HBR11
	3500	GRS204	2GR-FSE(D-4)	08.2～	－	6	FK20HBR11
	3500	GWS204(ハイブリッド)	2GR-FSE(D-4)	08.5～	－	6	FK20HBR11
	3500	GRS214	2GR-FSE(D-4)	13.1～	－	6	－
	4000	UZS131	1UZ-FE	89.8～91.10	ISO	8	BKR6EP-11
	4000	UZS141.143.145.147	1UZ-FE	91.10～95.8	ISO	8	BKR6EP-11
	4000	UZS151.155.157	1UZ-FE	95.8～96.10	ISO	8	BKR6EP-8
	4000	UZS151.155.157	1UZ-FE	97.8～01.9	ISO	8	IFR6A11
	4000	UZS171.173.175	1UZ-FE	99.9～09.3	ISO	8	IFR6A11
	4300	UZS186.187	3UZ-FE	04.7～09.3	ISO	8	IFR6A11
	4300	UZS207	3UZ-FE(EFI)	09.3～	ISO	8	IFR6A11
	4600	URS206	1UR-FSE(D-4S)	09.3～	－	8	FK20HBR11
クルーガーL／V	2400	ACU20W.25W	2AZ-FE	03.8～07.4	ISO	4	BKR6EYA-11
	3000	MCU20W.25W	1MZ-FE	03.8～07.4	ISO	6	IFR6A11
クルーガーハイブリッド	3300	MHU28W	3MZ-FE	05.3～07.4	ISO	6	IFR6A11
	2500	JZX90.93	1JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	2500	JZX90	1JZ-GTE(ターボ)	92.11～96.9	ISO	6	BKR6EP-8

クレスタ	2500	JZX100.105	1JZ-GE	96.9～01.7	ISO	6	BKR5EKPБ-11
	2500	JZX100	1JZ-GTE(ターボ)	96.9～01.7	ISO	6	BKR6EKPБ-11
	3000	MX83	7M-GE	89.8～92.11	JIS	6	BCPR5EP-11
	3000	JZX91	2JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	3000	JZX101	2JZ-GE	96.9～01.7	ISO	6	BKR5EKPБ-11
コロナプレミオ	1600	AT210	4A-FE	96.1～01.11	ISO	4	BKR5EKPБ-13
	1800	AT211	7A-FE	96.1～01.11	ISO	4	BKR5EKPБ-13
	2000	ST210.215	3S-FE	96.1～01.11	ISO	4	BKR6EKB-11
	2000	ST210.215	3S-FSE(D-4)	97.9～01.11	-	4	BKR6EPA-8
サクシード	1500	NCP51V.55V.58G.59G	1NZ-FE	02.7～10.6	ISO	4	BKR5EYA-11
	1500	NCP51V.55V.58G.59G	1NZ-FE	10.6～	ISO	4	IFR5A11
シエンタ	1500	NCP81G	1NZ-FE	03.9～07.11	L	4	DILFR6D11
	1500	NCP81G	1NZ-FE	07.11～	-	4	FK16HR11
	1500	NCP85G(4WD)	1NZ-FE	03.9～07.11	ISO	4	BKR5FYA-11
	1500	NCP85G(4WD)	1NZ-FE	07.11～	ISO	4	IFR5A11
スープラ	2500	JZA70	1JZ-GTE(ターボ)	90.8～93.5	ISO	6	BKR6EP-8
	3000	JZA80	2JZ-GE	93.5～97.8	ISO	6	BKR5EP-11
	3000	JZA80	2JZ-GE	97.8～02.7	ISO	6	BKR5EKPБ-11
	3000	JZA80	2JZ-GTE(ターボ)	93.5～97.8	ISO	6	BKR6EP-11
	3000	JZA80	2JZ-GTE(ターボ)	97.8～02.7	ISO	6	BKR6EKPБ-11

スターレット	1300	EP82.85	4E-FET(ターボ)	89.12～96.1	ISO	4	BKR6EP-11
	1300	EP91.95	4E-FE	96.1～97.12	ISO	4	BKR5EYA-11
	1300	EP91.95	4E-FE	97.12～99.7	ISO	4	BKR5EKB-11
	1300	EP91	4E-FET(ターボ)	96.1～99.7	ISO	4	BKR6EP-11
スパークー	1300	S221E.231E	K3-VE	00.10～03.8	ISO	4	BKR6EY-11
スプリンター／マリノ／トレノ	1600	AE86	4A-GEU	83.5～87.5	JIS	4	BCPR5EP-11
スプリンター／マリノ／トレノ	1600	AE92	4A-GE	87.5～89.5	JIS	4	BCPR5EP-11
	1600	AE92	4A-GE	89.6～92.5	ISO	4	BKR6EP-8
	1600	AE92	4A-GZE(S/C)	87.5～91.6	JIS	4	BCPR6EP-N-8
	1600	AE101.104/G	4A-FE	91.6～95.5	ISO	4	BKR5EYA-11
	1600	AE101/G	4A-GE	91.6～95.5	ISO	4	BKR6EP-11
	1600	AE101	4A-GZE(S/C)	91.6～95.5	JIS	4	BCPR6EP-N-8
	1600	AE109V.111.114	4A-FE	05.5～96.5	ISO	4	BKR6EP-11
	1600	AE109V.111.114	4A-FE	96.5～00.8	ISO	4	BKR5EYA-11
	1600	AE111	4A-GE	95.5～00.8	ISO	4	BKR6EP-11
スペイド	1300	NSP140	1NR-FE	12.7～	-	4	ILKAR7B11
	1500	NCP141.145	1NZ-FE	12.7～	-	4	FK16HR11
	1800	ZZT230	1ZZ-FE	99.9～06.4	ISO	4	BKR5EYA-11
	1800	ZZT231	2ZZ-GE	99.9～06.4	ISO	4	IFR6A11
	2000	ST185/H	3S-GTE	89.9～93.10	ISO	4	BKR6EP-8

セリカ	2000	ST202/C.203	3S-FE	93.10～96.6	ISO	4	BKR6EYA-11
	2000	ST202/C.203	3S-FE	96.6～99.9	ISO	4	BKR6EKB-11
	2000	ST202/C	3S-GE	93.10～97.12	ISO	4	BKR6EP-8
	2000	ST202/C	3S-GE	97.12～99.9	ISO	4	BKR6EP-11
	2000	ST205	3S-GTE	94.2～99.9	ISO	4	BKR6EP-8
セルシオ	4000	UCF10.11	1UZ-FE	89.1～94.10	ISO	8	BKR6EP-11
	4000	UCF20.21	1UZ-FE	94.10～96.8	ISO	8	BKR6EP-8
	4000	UCF20.21	1UZ-FE	96.8～97.7	ISO	8	BKR6EP-11
	4000	UCF20.21	1UZ-FE	97.7～00.8	ISO	8	IFR6A11
	4300	UCF30.31	3UZ-FE	00.8～06.8	ISO	8	IFR6A11
センチュリー	5000	GZG50	1GZ-FE	97.4～05.1	ISO	12	SK16R-P11
	5000	GZG50	1GZ-FE	05.1～	ISO	12	PK16TBR-L11
ソアラ	2500	JZZ30	1JZ-GTE(ターボ)	91.5～96.8	ISO	6	BKR6EP-8
	2500	JZZ30	1JZ-GTE(ターボ)	96.8～99.4	ISO	6	BKR6EKP-11
	3000	JZZ31	2JZ-GE	94.1～97.8	ISO	6	BKR5EP-11
	3000	JZZ31	2JZ-GE	97.8～01.4	ISO	6	BKR5EKP-11
	4000	JZZ30.31.32	1UZ-FE	91.5～97.9	ISO	8	BKR6EP-11
	4300	UZZ40	3UZ-FE	91.4～05.8	ISO	8	IFR6A11
タホ、ターフ / ノア	1800	KM70.75.80.85	7K-E	99.6～02.8	B	4	BPR5EY-11
	1800	KM70.75.80.85	7K-E	02.8～	B	4	BPR5EY

メソノエーハノア

	2000	YR21G.30G.36G	3Y-EU	83.5～96.10	B	4	BPR5EP-11
	2000	SR40G.50G	3S-FE	96.10～01.11	ISO	4	BKR6EKB-11
チェイサー	2500	JZX81	1JZ-GE	90.8～92.11	ISO	6	BKR6EP-11
	2500	JZX81	1JZ-GTE(ターボ)	90.8～92.11	ISO	6	BKR6EP-8
	2500	JZX90.93	1JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	2500	JZX90	1JZ-GTE(ターボ)	92.11～96.9	ISO	6	BKR6EP-8
	2500	JZX100.105	1JZ-GE	96.9～01.6	ISO	6	BKR5EKP-11
	2500	JZX100	1JZ-GTE(ターボ)	96.9～01.6	ISO	6	BKR6EKP-11
	3000	JZX91	2JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	3000	JZX101	2JZ-GE	96.9～01.6	ISO	6	BKR5EKP-11
ノア/VOXY	1800	ZWR80G(ハイブリッド)	2ZR-FXE	14.1～	-	4	ILKAR7B11
	2000	AZR60G.65G	1AZ-FSE(D-4)	01.11～06.6	-	4	SK20BGR11
	2000	ZRR70G(W).75G(W)	3ZR-FE	06.6～14.1	-	4	ILKAR7B11
	2000	ZRR70G(W).75G(W)	3ZR-FAE	06.6～14.1	-	4	ILKAR7B11
	2000	ZRR80G(W).85G(W)	3ZR-FAE	14.1～	-	4	ILKAR7B11
ハイター	2000	RZH102V.112V.112K.122V.124B	1RZ	89.8～04.8	B	4	BPR5EY
	2000	RZH100G.110G.102V.112V.112K.124B	1RZ-E	89.8～04.8	B	4	BPR5EP-11
	2000	TRH102V.112V.112K.122K.124B	1TR-FE	03.7～04.8	L	4	SK20HR11
	2000	TRH200V.200K.201K	1TR-FE	04.8～07.8	L	4	SK20HR11
	2000	TRH200V.200K	1TR-FE	07.8～	-	4	FK20HBR11-T

ハイエーハ	2400	RZH101G.111G.125B.133S.133V	2RZ-E	89.8～04.8	B	4	BPR5EP-11
	2700	TRH211K.216K	2TR-FE	07.8～	L	4	SK20HR11
	2700	TRH221K.226K	2TR-FE	04.8～	L	4	SK20HR-A11
	2700	TRH214W.224W.219W.229W	2TR-FE	04.8～	L	4	SK20HR-A11
	2700	TRH223B.228B	2TR-FE	04.8～	L	4	SK20HR-A11
ハイラックス／サーフ	2000	RZN147.167.152H	1RZ-E	97.9～04.7	B	4	BPR5EY
	2000	YN81.86.YN107.130G	3Y-E	89.5～97.9	B	4	BPR5EP-11
	2700	RNZ180W.185W.174H.169H	3RZ-FE	95.12～02.11	ISO	4	BKR5EYA
	2700	RZN210W.215W	3RZ-FE	02.11～04.8	ISO	4	BKR6EYA-11
	3000	VZN130G	3VZ-E	90.8～95.12	ISO	6	BKR5EYA
	3400	VZN180W.185W	5VZ-FE	95.12～02.11	ISO	6	BKR5EKB-11
	3400	VZN210W.215W	5VZ-FE	02.11～05.8	ISO	6	BKR5EKB-11
	4000	GRN215W	1GR-FE	05.8～09.8	L	6	K20HR-U11
パッツ	1000	KGC10.15	1KR-FE	04.6～10.2	L	3	ILFR6C11
	1000	KGC30.35	1KR-FE	10.2～14.4	L	3	ILFR6C11
	1000	KGC30.35	1KR-FE	14.4～	L	3	SK20HR11
	1300	QNC10	K3-VE	04.6～06.12	ISO	4	IFR6J11
	1300	QNC10	K3-VE	06.12～10.2	-	4	IKR7D
	1300	NGC30	1NR-FE	10.2～14.4	-	4	ILKAR7B11
	1300	NGC30	1NR-FE	14.4～	-	4	SC20HR11

パツソセツテ	1500	M502E.512E	3SZ-VE	08.12～	-	4	IKR7D
ハリアー	2200	SXU10W.15W	5S-FE	98.1～03.2	ISO	4	BKR6EKPБ-11
	2400	ACU10W.15W	2AZ-FE	00.11～03.2	ISO	4	BKR6EYA-11
	2400	ACU30W.35W	2AZ-FE	03.2～06.1	ISO	4	BKR6EYA-11
	2500	AVU65W(ハイブリッド)	2AR-FXE	13.11～	-	4	FK16HR-A8
	3000	MCU10W.15W	1MZ-FE	98.1～03.2	ISO	6	IFR6A11
	3000	MCU30W.31W.35W.36W	1MZ-FE	03.2～06.1	ISO	6	IFR6A11
ハリアー	3300	MHU38W(ハイブリッド)	3MZ-FE	05.3～	ISO	6	IFR6A11
	3500	GSU30W.31W.35W.36W	2GR-FE	06.1～13.7	L	6	DILFR6D11
ビスタ／アルデオ	1800	ZZV50(G)	1ZZ-FE	98.7～00.4	ISO	4	BKR5EKB-11
	1800	ZZV50(G)	1ZZ-FE	00.4～03.10	ISO	4	BKR5EYA-11
	2000	SV50(G)	3S-FSE(D-4)	98.7～01.8	-	4	BKR6EPA-8
	2000	SV55(G)	3S-FE	98.7～02.4	ISO	4	BKR6EKB-11
	2000	AZV50(G)	1AZ-FSE(D-4)	01.8～03.10	-	4	SK20BGR11
	2000	AZV55(G)	1AZ-FSE(D-4)	02.4～03.10	-	4	SK20BGR11
ファンカーゴ	1300	NCP20	2NZ-FE	99.9～05.10	ISO	4	BKR5EYA-11
	1500	NCP21.25	1NZ-FE	99.9～05.10	ISO	4	BKR5EYA-11
プラッツ	1000	SCP11	1SZ-FE	99.8～05.11	ISO	4	BKR5EYA
	1300	NCP15	2NZ-FE	99.8～05.11	ISO	4	BKR5EYA-11
	1500	NCP12	1NZ-FE	99.8～05.11	ISO	4	BKR5EYA-11

プリウス	1500	NHW10(ハイブリッド)	1NZ-FXE	97.12～00.5	ISO	4	BKR5EYA-11
	1500	NHW11(ハイブリッド)	1NZ-FXE	00.5～03.8	ISO	4	IFR5A11
	1500	NHW20(ハイブリッド)	1NZ-FXE	03.9～11.12	ISO	4	IFR5A11
	1800	ZVW30(ハイブリッド)	2ZR-FXE	09.5～	－	4	ILKAR7B11
プリウスα	1800	ZVW40W.41W(ハイブリッド)	2ZR-FXE	11.5～	－	4	ILKAR7B11
プリウスPHV	1800	ZVW35(ハイブリッド)	2ZR-FXE	12.1～	－	4	ILKAR7B11
ブレイド	2400	AZE154H.156H	2AZ-FE	06.12～12.4	ISO	4	IFR6A11
	3500	GRE156H	2GR-FE	07.8～12.4	L	6	DILFR6D11
ブレビス	2500	JCG10.15	1JZ-FSE(D-4)	01.6～07.6	－	6	SK20BR11
	3500	JCG11	2JZ-FSE(D-4)	01.6～07.6	－	6	SK20BR11
プレミオ	1500	NZT240	1NZ-FE	01.12～07.6	ISO	4	BKR5EYA-11
	1500	NZT260	1NZ-FE	07.6～07.11	L	4	DILFR6D11
	1500	NZT260	1NZ-FE	07.11～	－	4	FK16HR11
	1800	ZZT240.245	1ZZ-FE	01.12～07.6	ISO	4	BKR5EYA-11
	1800	ZRT260.265	2ZR-FE	07.6～10.4	－	4	ILKAR7B11
	1800	ZRT260.265	2ZR-FAE	10.4～	－	4	ILKAR7B11
	2000	AZT240	1AZ-FSE(D-4)	01.12～07.6	－	4	SK20BGR11
	2000	ART261	3ZR-FAE	08.1～	－	4	ILKAR7B11
	2500	JCG10	1JZ-GE	98.5～01.4	ISO	6	BKR5EKPБ-11
	2500	JCG10	1JZ-FSE(D-4)	01.4～07.6	－	6	SK20BR11

プログレ	2500	JCG15	1JZ-GE	98.5～01.4	ISO	6	PK16TR11
	2500	JCG15	1JZ-FSE(D-4)	01.4～07.6	-	6	SK20BR11
	3000	JCG11	2JZ-GE	98.5～01.4	ISO	6	BKR5EKPБ-11
	3000	JCG11	2JZ-FSE(D-4)	01.4～07.6	-	6	SK20BR11
プロナード	3000	MCX20	1MZ-FE	00.4～03.11	ISO	6	IFR6A11
プロボックス	1300	NCP50V	2NZ-FE	02.7～10.6	ISO	4	BKR5EYA-11
	1300	NCP50V	2NZ-FE	10.6～	ISO	4	IFR5A11
	1500	NCP51V.55V.58G.59G	1NZ-FE	02.7～10.6	ISO	4	BKR5EYA-11
	1500	NCP51V.55V.58G.59G	1NZ-FE	10.6～	ISO	4	IFR5A11
	1500	NCP52V	1NZ-FNE(CNG)	03.4～	-	4	SK20R8-G
ベルタ	1000	KSP92	1KR-FE	05.11～12.6	L	3	SK20HR11
	1300	SCP92	2SZ-FE	05.11～12.6	L	4	SK16HR11
	1300	NCP96	2NZ-FE	05.11～12.6	ISO	4	BKR5EYA-11
ポルテ	1300	NNP10	2NZ-FE	04.7～10.8	ISO	4	BKR5EYA-11
	1300	NNP10	2NZ-FE	10.8～12.7	ISO	4	IFR5A11
	1300	NSP140	1NR-FE	12.7～	-	4	ILKAR7B11
	1500	NNP11.15	1NZ-FE	04.7～10.8	ISO	4	BKR5EYA-11
	1500	NNP11.15	1NZ-FE	10.8～12.7	ISO	4	IFR5A11
	1500	NCP141.145	1NZ-FE	12.7～	-	4	FK16HR11
	2500	JZX81	1JZ-GE	90.8～92.11	ISO	6	BKR6EP-11

マークⅡ	2500	JZX81	1JZ-GTE(ターボ)	90.8～92.11	ISO	6	BKR6EP-8
	2500	JZX90.93	1JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	2500	JZX90	1JZ-GTE(ターボ)	92.11～96.9	ISO	6	BKR6EP-8
	2500	JZX100.105	1JZ-GE	96.9～00.10	ISO	6	BKR5EKPБ-11
	2500	JZX100	1JZ-GTE(ターボ)	96.9～00.10	ISO	6	BKR6EKPБ-11
	2500	JZX110	1JZ-FSE(D-4)	00.10～04.10	-	6	SK20BR11
	2500	JZX110	1JZ-GTE(ターボ)	00.10～04.10	ISO	6	SK20R-P11
	2500	JZX115	1JZ-GE	00.10～04.10	ISO	6	SK16R-P11
	3000	JZX91	2JZ-GE	92.11～96.9	ISO	6	BKR5EP-11
	3000	JZX101	2JZ-GE	96.9～00.10	ISO	6	BKR5EKPБ-11
マークⅡブリット	2000	GX110W.115W	1G-FE	02.1～07.6	ISO	6	BKR6EYA-11
	2500	JZX110W	1JZ-FSE(D-4)	02.1～07.6	-	6	SK20BR11
	2500	JZX110W	1JZ-GTE(ターボ)	02.1～07.6	ISO	6	PK20TR11
	2500	JZX115W	1JZ-GE	02.1～07.6	ISO	6	SK16R-P11
マークⅡクオリス	2200	SXV20W.25W	5S-FE	97.4～02.1	ISO	6	BKREKPБ-11
	2500	MCV21W.25W	2MZ-FE	97.4～02.1	ISO	6	BKREKPБ-11
	3000	MCV20W	1MZ-FE	97.4～98.8	ISO	6	BKREKPБ-11
	3000	MCV20W	1MZ-FE	98.8～02.1	ISO	6	IFR6A11
マークⅡ	2500	GRX120.125	4GR-FSE(D-4)	04.11～09.10	-	6	FK20HBR11
	2500	GRX130.135	4GR-FSE(D-4)	09.10～	-	6	FK20HBR11

マークX	3000	GRX121	3GR-FSE(D-4)	04.11～09.10	-	6	FK20HBR11
	3500	GRX133	2GR-FSE(D-4)	09.10～	-	6	FK20HBR11
マークXジオ	2400	ANA10.15	2AZ-FE	07.9～13.12	ISO	4	IFR6A11
	3500	GGA10	2GR-FE	07.9～13.12	L	6	DILFR6D11
ライトエースノア	2000	SR40G.50G	3S-FE	96.10～01.11	ISO	4	BKR6EKB-11
ラウム	1500	EXZ10.15	5E-FE	97.5～03.5	ISO	4	BKR5EKB-11
	1500	NCZ20.25	1NZ-FE	03.5～11.10	ISO	4	BKR5EKB-11
ラクティス	1300	SCP100	2SZ-FE	05.10～10.11	L	4	SK16HR11
ラクティス	1300	NSP120.122	1NR-FE	10.11～	-	4	ILKAR7B11
	1500	NCP100	1NZ-FE	05.10～07.11	L	4	DILFR6D11
	1500	NCP100	1NZ-FE	07.11～10.11	-	4	FK20HR11
	1500	NCP105	1NZ-FE	05.10～10.11	ISO	4	BKR5EYA-11
	1500	NCP120.122.125	1NZ-FE	10.11～	-	4	FK16HR11
ラッシュ	1500	J200E.210E	3SZ-VE	06.1～10.4	-	4	IKR7D
	1500	J200E.210E	3SZ-VE	10.4～	-	4	IKR7D
ランドクルーザー	4500	FZJ80G	1FZ-FE	92.8～98.1	ISO	6	BKR5EP-11
	4600	URJ202W	1UR-FE	09.5～	L	8	SK20HR11
	4700	UZJ100W	2UZ-FE	98.1～07.9	ISO	8	IFR6A11
	4700	UZJ200W	2UZ-FE	07.9～	ISO	8	IFR6A11
	2700	RZJ90W.95W	3RZ-FE	97.4～02.11	ISO	4	BKR5EYA

ランドクルーザープラド	2700	RZJ120W.125W	3RZ-FE	02.11～04.8	ISO	4	BKR5EYA-11
	2700	TRJ120W.125W	2TR-FE	04.8～09.9	L	4	SK20HR11
	2700	TRJ150W	2TR-FE	09.9～12.7	L	4	SK20HR11
	3400	VZJ90W.95W	5VZ-FE	96.5～02.11	ISO	6	BKR5EKB-11
	3400	VZJ120W.121W.125W	5VZ-FE	02.11～05.8	ISO	6	BKR5EKB-11
	4000	GRJ120W.121W	1GR-FE	05.8～09.9	L	6	K20HR-U11
	4000	GRJ150W.151W	1GR-FE	09.9～	L	6	K20HR-U11

LEXUS

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
レクサスCT	1800	ZWA10(ハイブリッド)	2ZR-FXE	11.1～	－	4	ILKAR7B11
レクサスGS	2500	GRL11	4GR-FSE(D-4)	12.1～	－	6	FK20HBR11
	3500	GRS191.196	2GR-FSE(D-4)	05.8～12.1	－	6	FK20HBR11
	3500	GRL10.15	2GR-FSE(D-4S)	12.1～	－	6	FK20HBR11
	3500	GWS191(ハイブリッド)	2GR-FSE(D-4)	06.3～12.1	－	6	FK20HBR11
	3500	GWL10(ハイブリッド)	2GR-FXE(D-4S)	12.1～	－	6	FK20HBR8
	4300	UZS190	3UZ-FE	05.8～07.10	ISO	8	IFR6A11
	4600	URS190	1UR-FSE	07.10～	－	8	FK20HBR11

レクサスHS	2400	ANF10(ハイブリッド)	2AZ-FXE	09.7～	ISO	4	IFR6A11
レクサスIS	2500	GSE20.25	4GR-FSE(D-4)	05.9～	-	6	FK20HBR11
	3500	GSE21	2GR-FSE(D-4)	05.9～	-	6	FK20HBR11
レクサスISF	5000	USE20	2UR-GSE	07.12～	-	8	FK20HBR11
レクサスLS	4600	USF40.41.45.46	1UR-FSE(D-4)	06.9～	-	8	FK20HBR11
	5000	UVF45.46	2UR-FSE(D-4)	07.5～	-	8	FK20HBR11
レクサスRX	2700	AGL10W	1AR-FE	10.8～	L	4	SK16HR11
	3500	GGL10W.15W.16W	2GE-FE	09.1～	L	6	DILFR6D11
	3500	GYL15W.16W(ハイブリッド)	2GR-FXE	09.4～	L	6	DILFR6D11
	3500	GYL10W(ハイブリッド)	2GR-FXE	09.10～	L	6	DILFR6D11
レクサスSC	4300	UZZ40	3UZ-FE	05.8～	ISO	8	IFR6A11

NISSAN

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
180SX	1800	RS13.KRS13	CA18DET(ターボ)	99.4～91.1	JIS	4	PFR6A-11
	2000	RPS13.KRPS13	SR20DE	91.10～93.7	ISO	4	PFR6B-11
	2000	RPS13.KRPS13	SR20DET(ターボ)	91.3～96.8	ISO	4	PFR6B-9
	2000	RPS13.KRPS13	SR20DET(ターボ)	96.8～	ISO	4	PFR6B
GT-R	3800	R35	VR38DETT	07.12～	-	6	DILKAR8A8
	3800	R35(Vspec)	VR38DETT	07.12～	-	6	DILKAR8A8

アベニール／サリュウ	1800	W11	QG18DE	98.8～02.8	ISO	4	BKR5E-11
	1800	W11	QG18DE	02.8～05.9	L	4	LFR5A-11
	2000	PW11.PNW11	SR20DE	98.8～02.8	ISO	4	BKR5EY-11
	2000	RW11.RNW11	QR20DE	02.8～05.9	L	4	LFR5A-11
	2000	PNW11	SR20DET(ターボ)	98.8～00.8	ISO	4	PFR6B-9
	2000	PNW11	SR20DET(ターボ)	98.8～00.8	ISO	4	PFR6G-9
ウイングロード	1500	WFY11	QG15DE	99.5～02.11	ISO	4	BKR5E-11
	1500	WFY11	QG15DE	02.11～05.11	L	4	LFR5A-11
	1500	WFY11	QG15DE(リーンバーン)	99.5～01.9	ISO	4	BKR5E-11
	1500	WFY11	QG15DE(リーンバーン)	01.10～05.11	ISO	4	PFR5G-11
	1500	Y12.NY12	HR15DE	05.11～	-	4	DILZKAR6A11
	1800	WHNY11	QG18DE	99.5～02.11	ISO	4	BKR5E-11
	1800	WHNY11	QG18DE	02.11～05.11	L	4	LFR5A-11
	1800	WHY11	QG18DE(リーンバーン)	99.5～01.10	ISO	4	BKR5E-11
	1800	WHY11	QG18DE(リーンバーン)	01.10～05.11	ISO	4	PFR5G-11
	1800	JY12	MR18DE	05.11～	-	4	DILKAR6A11
	2000	WPY11	SR20VE	99.5～01.10	-	4	DILKAR6A11
	2000	WRY11	QR20DE	01.10～05.11	L	4	LFR5A-11
エクスパート	1800	VW11.VNW11	QG18DE	99.6～02.8	ISO	4	BKR5E-11
	1800	VW11.VNW11	QG18DE	02.8～06.12	L	4	LFR5A-11

	1800	–	QG18DEN(CNG)	00.1～06.12	–	4	FR7AI-D
エクストレル	2000	NT30.T30	QR20DE	00.11～07.8	L	4	LFR5A-11
	2000	PNT30	SR20VET(ターボ)	01.2～07.8	L	4	PLFR6A-9
	2000	NT31.T31	MR20DE	07.8～13.12	–	4	DILKAR6A11
	2000	NT32.T32	MR20DD	13.12～	–	4	DILKAR7D11H
	2000	TNT31	QR25DE	07.8～13.12	–	4	DILKAR6A11
エルブランド	2500	ME51.MNE51	VQ25DE	04.12～10.8	L	6	PLFR5A-11
	2500	ME52.TNE52	QR25DE	10.8～	–	4	DILKAR6A11
	3300	ALE50.ALWE50	VG33E	97.5～00.8	ISO	6	BKR5ES-11
	3500	APE50.APWE50	VQ35DE	00.8～02.5	L	6	PLFR5A-11
	3500	E51.NE51	VQ35DE	02.5～10.8	L	6	PLFR5A-11
	3500	PE52.PNE52	VQ35DE	10.8～	–	6	FXE22HR11
オッティ	660	H91W	3G83(4バルブSOHC)	05.6～06.10	–	3	ZFR5F-11
	660	H91W	3G83(4バルブSOHCターボ)	05.6～06.10	ISO	3	IFR6B
	660	H92W	3G83(4バルブSOHC)	06.10～	–	3	ZFR6F-11
	660	H92W	3G83(4バルブSOHCターボ)	06.10～	ISO	3	IFR6B
キックス	660	H59A	4A30(ターボ)	08.10～	–	4	IKR7B
	2000	CPGE24.VPE24.VPGE24	KA20DE	99.6～07.8	ISO	4	BKR5E-11
	2000	VPE25	KA20DE	01.4～07.8	ISO	4	BKR5E-11
	2000	VPE25	KA20DE(LPG)	01.4～07.8	ISO	4	BKR5E-11

キャラバン	2000	VPE25	KA20DE (CNG)	01.4～07.8	－	4	BKR6E-H
	2000	VRE25	QR20DE	07.8～	－	4	DILKAR6A11
	2400	CQGE24	KA24DE	99.6～07.8	ISO	4	BKR5E-11
	2400	CQGE25	KA24DE	01.4～07.8	ISO	4	BKR5E-11
	2400	DQGE25	KA24DE	01.4～07.8	ISO	4	BKR5E-11
	2400	QGE25	KA24DE	01.4～07.8	ISO	4	BKR5E-11
	2400	QE25	KA24DE	03.5～07.8	ISO	4	BKR5E-11
	2500	CSGE25.DSGE25.SGE25	QR25DE	07.8～	－	4	DILKAR6A11
	3000	KEE24.AEGE24.FEGE24	VG30E	88.10～89.9	ISO	6	PFR6B-11
	3000	KEE24.AEGE24.FEGE24	VG30E	89.9～90.10	ISO	6	PFR5B-11
キューブ	3000	KEE24.AEGE24.FEGE24	VG30E	90.10～01.4	ISO	6	PFR6B-11
	1300	Z10.AZ10.AZN10	CG13DE.CGA3E	98.2～01.5	ISO	4	BKR5E-11
	1300	AZ10.ANZ10	CGA3DE	01.5～02.10	ISO	4	BKR6E-11
	1400	BZ10.BZ11.BNZ11	CR14DE	02.10～08.11	L	4	LFR5AIX-11
	1500	YZ11	HR15DE	05.5～08.11	－	4	DILZKAR6A11
キューブキュービック	1500	Z12.NZ12	HR15DE	08.11～	－	4	DILZKAR6A11
	1400	BGZ11	CR14DE	03.9～08.11	L	4	LFR5AP-11
	1500	YGZ11.YGNZ11	HR15DE	05.5～08.11	－	4	DILZKAR6A11
	2500	MY33	VQ25DE	97.6～99.6	ISO	6	PFR5G-11
	2500	ENY33	RB25DET	97.6～99.6	ISO	6	PFR5G-11

グロリア	2500	MY34	VQ25DD (NEO-Di)	99.6～00.6	－	6	BKR5EQUPA
	2500	MY34	VQ25DD (NEO-Di)	00.6～01.12	－	6	FR5BP-11
	2500	MY34	VQ25DD (NEO-Di)	01.6～04.10	－	6	LFR5BP-11
	2500	ENY34	RB25DET	99.6～04.10	ISO	6	PFR6G-11
	3000	HY33.HBY33	VQ30DE	95.6～99.6	ISO	6	PFR5G-11
	3000	HY33.HBY33	VQ30DET	95.6～99.6	ISO	6	PFR6G-11
	3000	HY34	VQ30DD (NEO-Di)	99.6～01.12	－	6	BKR5EQUPA
	3000	HY34	VQ30DD (NEO-Di)	01.12～04.10	－	6	LFR5AQP
	3000	HY34	VQ30DET	99.6～04.10	ISO	6	PFR6G-11
サニー	1300	B14	GA13DE	94.1～98.10	ISO	4	BKR5E-11
	1300	B15	QG13DE	98.10～04.9	ISO	4	BKR5E-11
	1500	FB14.FNB14	GA15DE	94.1～98.10	ISO	4	BKR5E-11
	1500	FB14.FNB14	GA15DE (リーンバーン)	94.5～98.10	－	4	PFR5B-11B
	1500	FB15.FNB15	QG15DE	98.10～02.5	ISO	4	BKR5E-11
	1500	FB15.FNB15	QG15DE (リーンバーン)	98.10～02.5	ISO	4	BKR5E-11
	1500	FB15.FNB15	QG15DE	02.5～04.9	L	4	LFR5A-11
	1600	JB14	SR16VE	97.9～98.10	ISO	4	BKR6E-N
	1600	JB15	SR16VE	98.10～04.9	ISO	4	BKR6E-N
	1800	HB14	SR18DE	94.1～97.5	ISO	4	BKR5EY
	1800	QB15	QG18DD (NEO-Di)	98.10～02.4	－	4	PFR5B-11B

サファリ	4200	WGY60	TB42E	91.11～98.3	B	6	BPR5E
	4500	WGY61	TB45E	97.10～02.11	B	6	BPR5E-11
	4800	WFGY61	TB48DE	02.11～07.6	L	6	PLFR5A-11
シーマ	3000	FHY33	VQ30DET(ターボ)	96.6～01.1	ISO	6	PFR6G-11
	3000	HF50	VQ30DET(ターボ)	01.1～10.8	ISO	6	PFR6G-11
	3500	HGY51(ハイブリッド)	VQ35HR	12.4～	—	6	FXE22HR11
	4100	FGY33.FGDY33.FGNY33	VH41DE	96.6～01.1	ISO	8	PFR5G-11
	4500	GF50	VK45DD(NEO-Di)	01.1～03.8	—	8	LFR5AQP
	4500	GF50	VK45DE	03.8～10.8	L	8	PLFR5A-11
	4500	GNF50	VK45DD(NEO-Di)	01.1～03.8	—	8	LFR5AQP
	4500	GNF50	VK45DE	03.8～10.8	L	8	PLFR5A-11
シルビア	1800	S12.13.KS13	CA18DET(ターボ)	86.2～91.1	JIS	4	PFR6A-11
	2000	PS13.KPS13	SR20DE	91.1～93.10	ISO	4	PFR6B-11
	2000	PS13.KPS13	SR20DET(ターボ)	91.1～93.10	ISO	4	PFR6B-9
	2000	S14.CS14	SR20DE	93.10～96.6	ISO	4	BKR6EY
	2000	S14.CS14	SR20DE	96.6～99.1	ISO	4	PFR6B-11
	2000	S14.CS14	SR20DET(ターボ)	93.10～96.6	ISO	4	PFR6B-9
	2000	S14.CS14	SR20DET(ターボ)	96.6～99.1	ISO	4	PFR6B
	2000	S15	SR20DE	99.1～	ISO	4	BKR6EY
	2000	S15	SR20DET(ターボ)	99.1～	ISO	4	PFR6B-9

シルフィ	1800	TB17	MRA18DE	12.12～	－	4	LZKAR6AP-11
ジューク	1500	YF15	HR15DE	10.6～	－	4	DILZKAR6A11
	1600	F15.NF15	MR16DDT(ターボ)	10.11～	－	4	DILKAR7C9H
スカイライン	2000	DR30.KDR30	FJ20E	81.10～85.8	B	4	BP6ES-11
	2000	DR30	FJ20ET(ターボ)	83.2～85.8	B	4	BP6ES-11
	2000	HY31.YHR31	RB20E	85.8～88.2	JIS	6	BCP5ES-11
	2000	HY31.YHR31	RB20E	88.2～89.11	JIS	6	BCPR5ES-11
	2000	HY31.YHR31	RB20DE	85.8～87.8	JIS	6	PFR5A-11
	2000	HY31.YHR31	RB20DE	87.8～89.11	JIS	6	PFR6A-11
	2000	HR31	RB20DET(ターボ)	85.8～87.8	JIS	6	PFR5A-11
	2000	HR31	RB20DET(ターボ)	87.8～89.5	JIS	6	PFR6A-11
	2000	HR31.WHJR31	RB20ET(ターボ)	87.8～88.2	JIS	6	BCP6ES-11
	2000	HR31.WHJR31	RB20ET(ターボ)	88.2～89.11	JIS	6	BCPR6ES-11
	2000	HR32.YHR32	RB20E	89.5～93.8	JIS	6	BCPR5ES-11
	2000	HR32.HCR32	RB20DE	89.5～91.8	JIS	6	PFR5A-11
	2000	HR32.HCR32	RB20DE	91.8～93.8	JIS	6	PFR6A-11
	2000	HCR32.HNR32	RB20DET(ターボ)	89.5～91.8	JIS	6	PFR5A-11
	2000	HCR32.HNR32	RB20DET(ターボ)	91.8～93.8	JIS	6	PFR6A-11
	2000	HR33	RB20E	93.8～98.5	JIS	6	BCPR5ES-11
	2000	HR34	RB20DE	98.5～01.6	ISO	6	PFR5G-11

	2500	ER32.ECR32	RB25DE	91.8～93.8	JIS	6	PFR5K-11
	2500	ER33.ECR33.ENR33	RB25DE	93.8～98.5	ISO	6	PFR5G-11
	2500	ER33.ECR33	RB25DET(ターボ)	93.8～98.5	ISO	6	PFR5G-11
	2500	ER34.ENR34	RB25DE	98.5～01.6	ISO	6	PFR5G-11
	2500	ER34	RB25DET(ターボ)	98.5～01.6	ISO	6	PFR6G-11
	2500	V35.NV35	VQ25DD(NEO-Di)	01.6～06.10	-	6	LFR5BP-11
	2500	V36.NV36	VQ25DD(NEO-Di)	06.10～	-	6	IKH16
	3000	HV35	VQ30DD(NEO-Di)	01.6～04.11	-	6	LFR5AQP
	3500	PV35	VQ35DE	02.2～06.10	L	6	PLFR5A-11
	3500	CPV35(クーペ)	VQ35DE	03.1～06.10	L	6	PLFR5A-11
	3500	PV36	VQ35HR	06.10～08.12	-	6	FXE22HR11
	3500	HV37.HNV37(ハイブリッド)	VQ35HR	14.2～	-	6	-
	3700	KV36	VQ37VHR	08.12～	-	6	FXE24HR11
	3700	CKV36(クーペ)	VQ37VHR	07.10～	-	6	FXE24HR11
スカイラインクロスオーバー	3700	J50.NJ50	VQ37VHR	09.7～	-	6	-
スカイライン GT-R	2600	BNR32(GT-R)	RB26DETT(ターボ)	89.8～95.1	JIS	6	PFR6A-11
	2600	BCNR33(GT-R)	RB26DETT(ターボ)	95.1～99.1	JIS	6	PFR6A-11
	2600	BNR34(GT-R)	RB26DETT(ターボ)	99.1～	JIS	6	PFR6A-11
	2000	WHC34	RB20E	96.10～97.8	JIS	6	BCPR5ES-11
	2000	WHC34	RB20DE	97.10～01.10	ISO	6	PFR5G-11

ステージア	2500	WHC34.WGNC34	RB25DE	96.8～01.10	ISO	6	PFR5G-11
	2500	WHC34.WGNC34	RB25DET(ターボ)	96.10～98.8	ISO	6	PFR5G-11
	2500	WHC34.WGNC34	RB25DET(ターボ)	98.8～01.10	ISO	6	PFR6G-11
	2500	NM35.M35	VQ25DD(NEO-Di)	01.10～07.6	-	6	LFR5BP-11
	2500	NM35	VQ25DET(ターボ)	01.10～04.8	L	6	LFR6AP-9
	2600	WGNC34(260RS)	RB26DETT(ターボ)	97.11～01.10	JIS	6	PFR6A-11
	3000	HM35	VQ30DD(NEO-Di)	01.10～04.8	-	6	LFR5AQP
	3500	PM35.PNM35	VQ35DE	04.8～07.6	L	6	PLFR5A-11
セドリック	2500	MY33	VQ25DE	97.6～99.6	ISO	6	PFR5G-11
	2500	ENY33	RB25DET(ターボ)	97.6～99.6	ISO	6	PFR5G-11
	2500	MY34	VQ25DD(NEO-Di)	99.6～00.6	-	6	BKR5EQUPA
	2500	MY34	VQ25DD(NEO-Di)	00.6～01.12	-	6	FR5BP-11
	2500	MY34	VQ25DD(NEO-Di)	01.6～04.10	-	6	LFR5BP-11
	2500	ENY34	RB25DET(ターボ)	99.6～04.10	ISO	6	PFR6G-11
セドリック	3000	HY33.HBY33	VQ30DE	95.6～99.6	ISO	6	PFR5G-11
	3000	HY33.HBY33	VQ30DET(ターボ)	95.6～99.6	ISO	6	PFR6G-11
	3000	HY34	VQ30DD(NEO-Di)	99.6～01.12	-	6	BKR5EQUPA
	3000	HY34	VQ30DD(NEO-Di)	01.12～04.10	-	6	LFR5AQP
	3000	HY34	VQ30DET(ターボ)	99.6～04.10	ISO	6	PFR6G-11
	2000	A31.CA31.KA31	RB20E	88.9～94.8	JIS	6	BCPR5ES-11

セフィーロ	2000	A31.CA31.KA31	RB20DE	88.9～94.8	JIS	6	PFR5A-11
	2000	A31.CA31.KA31.NA31	RB20DET(ターボ)	88.9～92.5	JIS	6	PFR5A-11
	2000	LA31.LCA31.LNA31	RB20DET(ターボ)	92.5～94.8	JIS	6	PFR5A-11
	2000	A32	VQ20DE	94.8～98.12	ISO	6	PFR5G-11
	2000	A33	VQ20DE	98.12～03.2	ISO	6	PFR5G-11
	2000	A33	VQ20DE(リーンバーン)	01.1～03.2	ISO	6	PFR5G-11
	2500	EA31.ECA31	RB25DE	92.5～94.8	JIS	6	PFR5K-11
	2500	PA32	VQ25DE	94.8～98.12	ISO	6	PFR5G-11
	2500	PA33	VQ25DD(NEO-Di)	98.12～00.12	-	6	PFR5P-11
	2500	PA33	VQ25DD(NEO-Di)	01.1～03.2	-	6	FR5BP-11
	3000	HA32	VQ30DE	94.8～98.12	ISO	6	PFR5G-11
セレナ	1600	VAJ23	GA16DS	91.6～94.5	ISO	6	BKR5E-11
	1600	VAJ23.KAJ23	GA16DE	94.5～99.6	ISO	6	BKR5E-11
	2000	KBC23.KBNC23.KBCC23	SR20DE	91.6～99.6	ISO	4	BKR5EY
	2000	PC24.PNC24	SR20DE	99.6～01.12	ISO	4	BKR5EY-11
	2000	TC24.TNC24	QR20DE	01.12～05.5	L	6	LFR5A-11
	2000	C25.NC25	MR20DE	05.5～06.6	-	4	LZKAR6AP-11
	2000	C25.NC25	MR20DE	06.6～10.11	-	4	DILKAR6A11
	2000	CC25.CNC25	MR20DE	07.12～10.11	-	4	DILKAR6A11
	2000	C26.NC26.FC26.FNC26	MR20DD	10.11～	-	4	DILKAR7D11H

	2000	C26.NC26.FC26.FNC26	MR20DD (ハイブリッド)	12.8～	－	4	DILKAR7D11H
	2500	RC24	QR25DE	01.12～05.5	L	6	LFR5A-11
ティアナ	2300	J31	VQ23DE	03.2～08.6	L	6	PLFR5A-11
	2500	J32	VQ25DE	08.6～	－	6	DILKAR6A11
	2500	TNJ31	QR25DE	03.2～08.6	L	4	LFR5A-11
	2500	TNJ32	QR25DE	08.6～14.2	－	4	DILKAR6A11
	2500	L33	QR25DE	14.2～	－	4	DILZKAR6A11
	3500	PJ31	VQ35DE	03.2～08.6	L	6	PLFR5A-11
	3500	PJ32	VQ35DE	08.6～	－	6	－
ティーダ	1500	C11.NC11	HR15DE	04.9～	－	4	DILZKAR6A11
	1800	JC11	MR18DE	05.1～05.12	－	4	LZKAR6AP-11
	1800	JC11	MR18DE	05.12～	－	4	DILKAR6A11
ティーノ	1800	V10	QG18DE	98.12～00.3	ISO	4	PFR5G-11
	1800	V10	QG18DE	00.4～02.10	ISO	4	BKR5E-11
	1800	V10	QG18DE	02.10～03.3	L	4	LFR5A-11
	1800	PV10	QG18DH	00.4～02.10	ISO	4	BKR5E-11
	2000	HV10	SR20DE	98.12～02.10	ISO	4	BKR5EY-11
デュアリス	2000	J10.NJ10	MR20DE	07.5～	－	4	DILKAR6A11
テラノ	3000	WHYD21	VG30i	87.8～89.11	JIS	6	BCPR5ES-11
	3000	WHYD21	VG30E	89.11～95.9	ISO	6	BKR6EY

	3300	LR50.LUR50	VG33E	95.9～02.8	ISO	6	BKR5ES-11
ノート	1200	E12.NE12	HR12DE	12.9～	－	3	DILKAR6A11
	1200	E12	HR12DDR(S/C)	12.9～	－	3	DILKAR7E11HS
	1500	E11.NE11	HR15DE	05.1～12.9	－	4	DILZKAR6A11
	1600	ZE11	HR16DE	08.10～12.9	－	4	LZKAR6AP-11
バサラ	2400	JU30.JNU30	KA24DE	99.11～01.7	ISO	4	BKR5E-11
	2500	JTU30.JTNU30	QR25DE	01.8～03.6	L	4	LFR5A-11
	3000	JHU30	VQ30DE	99.11～03.6	ISO	6	PFR5G-11
パルサーセリエ	1600	EN14	GA16DE	90.8～95.1	ISO	4	BKR5E-11
	1600	EN15	GA16DE	95.1～00.8	ISO	4	BKR5E-11
	1600	JN15(VZ-R)	SR16VE	97.9～00.8	ISO	4	BKR6E-N
	1600	JN15(VZ-R.N1)	SR16VE	97.9～00.8	ISO	4	PFR7G-11
	1800	HN14.15	SR18DE	90.8～92.8	ISO	4	BKR6EY
	1800	HN14.15.HNN15	SR18DE	92.8～00.8	ISO	4	BKR5EY
	2000	RNN14	SR20DET(ターボ)	90.8～95.1	ISO	4	PFR7B-9
パルサーセリエSR-V	1500	FN15.FNN15	GA15DE	96.5～02.8	ISO	4	BKR5E-11
	1600	JN15	SR16VE	97.9～02.8	ISO	4	BKR6E-N
	1800	HNN15(2WD)	SR18DE	96.5～02.8	ISO	4	BKR5EY
	1800	HNN15(4WD)	SR18DE	95.5～02.8	ISO	4	BKR5EY-11
	2500	Y50	VQ25DE	04.10～07.12	L	6	PLFR5A-11

フーガ	2500	Y50	VQ25HR	07.12～09.11	－	6	FXE22HR11
	2500	Y51	VQ25HR	09.11～	－	6	FXE22HR11
	3500	PY50.PNY50	VQ35DE	04.10～07.12	L	6	PLFR5A-11
	3500	PY50.PNY50	VQ35HR	07.12～09.11	－	6	FXE22HR11
	3700	KY51.KNY51	VQ37VHR	09.11～	－	6	FXE24HR11
	4500	GY50	VK45DE	05.8～09.11	L	8	PLFR5A-11
フーガハイブリッド	3500	HY51	VQ35HR	10.11～	－	6	FXE22HR11
フェアレディZ	2000	Z31.GZ31	VG20ET(ターボ)	83.9～85.10	JIS	6	BCP6ES-11
	2000	PZ31.PGZ31	VG20ET(ターボ)	85.10～89.7	JIS	6	PFR5A-11
	3000	HZ31.HGZ31	VG30E	86.10～89.7	JIS	6	PFR6A-11A
	3000	HZ31.HGZ31	VG30ET(ターボ)	83.9～89.7	JIS	6	BCP6ES-11
	3000	Z32.GZ32.HZ32	VG30DE	89.7～02.7	ISO	6	PFR6B-11
	3000	CZ32.GCZ32	VG30DETT(ターボ)	89.7～02.7	ISO	6	PFR6B-11
	3500	Z33	VQ35DE	02.7～07.1	L	6	PLFR5A-11
フェアレディZ	3500	HZ33	VQ35DE	03.10～07.1	L	6	PLFR5A-11
	3500	Z33.HZ33	VQ35HR	07.1～08.12	－	6	FXE22HR11
	3700	Z34.HZ34	VQ35DE	08.12～	－	6	FXE24HR11
プリメーラ	1800	P10	SR18Di	90.2～92.9	ISO	4	BKR5EY
	1800	P10	SR18DE	92.9～95.9	ISO	4	BKR5EY
	1800	P11	SR18DE	95.9～98.9	ISO	4	BKR5EY-11

プリメーラ	1800	QP11	QG18DE	98.9～01.1	ISO	4	BKR5E-11
	1800	QP11	QG18DD	98.9～01.1	-	4	PFR5B-11B
	1800	QP12	QG18DE	02.2～05.12	L	4	LFR5A-11
	2000	HP10.HNP10	SR20DE	90.2～94.9	ISO	4	PFR6B-11
	2000	EHP10	SR20DE	91.10～96.11	ISO	4	PFR6B-11
	2000	HP10.HNP10	SR20DE	94.10～95.9	ISO	4	BKR5EY
	2000	HP11.HNP11	SR20DE	95.9～01.1	ISO	4	BKR5EY-11
	2000	EHP11	SR20DE	97.2～01.1	ISO	4	BKR5EY-11
	2000	HP11	SR20VE	97.9～01.1	ISO	4	BKR6E-N
	2000	HP12	SR20VE	01.8～03.6	L	4	PLFR6A-9
	2000	TP12	QR20DE	01.1～05.12	L	4	LFR5A-11
	2000	TNP12	QR20DE	01.8～05.12	L	4	LFR5A-11
	2500	RP12	QR25DD (NEO-Di)	01.1～05.12	L	4	LZFR5AQA
プリメーラワゴン	1800	WP11	SR18DE	97.9～98.9	ISO	4	BKR5EY-11
	1800	WQP11	QG18DE	98.10～01.1	ISO	4	BKR5E-11
	1800	WQP11	QG18DD (NEO-Di)	98.10～01.1	-	4	PFR5B-11B
	2000	WHP11.WHNP11	SR20DE	97.9～01.1	ISO	4	BKR5EY-11
	2000	WHP11	SR20VE	97.9～01.1	ISO	4	BKR6E-N
	2000	WHP12	SR20VE	01.8～03.6	L	4	PLFR6A-9
	2000	WTP12.WTNP12	QR20DE	01.1～03.6	L	4	LFR5A-11

	2500	WRP12	QR25DD (NEO-Di)	01.1～03.6	L	4	LZFR5AQP
ブルーバード	2000	HU12.HNU12	SR20DE	89.10～91.9	ISO	4	PFR6B-11
	2000	HU13.HNU13	SR20DE	91.9～96.1	ISO	4	BKR6EY
	2000	HU14.HNU14	SR20DE	96.1～01.8	ISO	4	BKR5EY-11
	2000	HNU12・13	SR20DET (ターボ)	89.10～96.1	ISO	4	PFR6B-9
	2000	HU14	SR20VE	87.9～01.8	ISO	4	BKR6E-N
	2400	PU13	KA24DE	93.9～96.8	ISO	4	BKR5E-11
ブルーバードシルフィ	1500	FG10	QG15DE	90.8～03.2	ISO	4	BKR5E-11
	1500	FG10	QG15DE	03.2～05.12	L	4	LFR5A-11
	1500	G11.NG11	HR15DE	05.12～	-	4	DILZKAR6A11
	1800	QG10.QNG10	QG18DE	00.8～03.2	ISO	4	BKR5E-11
	1800	QG10	QG18DE	03.2～05.12	ISO	4	BKR5E-11
	1800	QNG10	QG18DE	03.2～05.12	L	4	LFR5A-11
	2000	TG10	QR20DD (NEO-Di)	00.8～05.12	L	4	LZFR5AQP
	2000	KG11	MR20DE	05.12～	-	4	DILKAR6A11
プレサージュ	2400	U30.NU30.HN30	KA24DE	98.6～01.8	ISO	4	BKR5E-11
	2500	TU30.TUN30	QR25DE (NEO)	01.8～03.7	L	4	LFR5A-11
	2500	TU31.TNU31	QR25DE	03.7～06.5	L	4	LFR5A-11
	2500	TU31.TNU31	QR25DE	06.5～09.8	L	4	PLFR5A-11
	3000	HU30	VQ30DE (LEV)	98.6～03.7	ISO	6	PFR5G-11

	3500	PU31.PNU31	VQ35DE	03.7～06.5	L	6	PLFR5A-11
	3500	PU31	VQ35DE	06.5～09.8	L	6	PLFR5A-11
マーチ	1000	K11.WK11	CG10DE	92.1～02.3	ISO	4	BKR5E-11
	1000	K12	CR10DE	02.3～03.6	L	4	LFR5AP-11
	1200	AK12	CR12DE	02.3～10.7	L	4	LFR5AP-11
	1200	K13.NK13	HR12DE	10.7～	—	3	DILKAR6A11
	1300	HK11.FHK11	CG13DE	92.1～99.11	ISO	4	BKR5E-11
	1300	AK11.ANK11.WAK11	GGA3DE	99.11～02.3	ISO	4	BKR5E-11
	1400	BK12(除く14S)	CR14DE	02.3～05.8	L	4	LFR5AP-11
	1400	BK12(14S)	CR14DE	03.7～05.8	L	4	PLFR6A-11
	1400	BNK12	CR14DE	02.9～10.7	L	4	LFR5AP-11
	1500	YK12	HR15DE	05.8～10.7	—	4	DILZKAR6A11
ムラーノ	2500	TZ50	QR25DE	04.9～08.9	L	4	LFR5A-11
	2500	TNZ51.TZ51	QR25DE	08.9～	—	4	DILKAR6A11
	3500	PZ50.PNZ50	VQ35DE	04.9～08.9	L	6	PLFR5A-11
	3500	PNZ51	VQ35DE	08.9～	—	6	FXE22HR11
エ	660	MG21S(2WD)	K6A	02.4～06.2	—	3	KR7AI
	660	MG21S(4WD)	K6A	02.4～06.2	—	3	DCPR7E
	660	MG21S	K6A(ターボ)	02.4～06.2	—	3	KR7AI
	660	MG22S	K6A	06.2～09.6	—	3	KR7AI

モ	660	MG22S	K6A	09.6～11.2	-	3	LKR7BI8
	660	MG22S	K6A(ターボ)	06.2～11.2	-	3	KR7AI
	660	MG33S	R06A	11.2～	-	3	ILMAR7A8
	660	MG33S	R06A(ターボ)	11.2～	-	3	ILMAR7A8
ラティオ	1200	N17	HR12DE	12.10～	-	3	DILKAR6A11
ラフェスタ／JOY	2000	B30.NB30	MR20DE	04.12～05.12	-	4	ZXE20HR13
	2000	B30.NB30	MR20DE	05.12～12.12	-	4	DILKAR6A11
ラフェスタ ハイウェイスター	2000	CWEFWN(2WD)	LF-VD	11.6～	-	4	LTR6BI-13
	2000	CWEFWN(2WD)	LF-VDS	11.6～	-	4	LTR6BI-13
	2000	CWEAWN(4WD)	LF-VE	11.6～	-	4	LTR5BI-13
	2000	CWFFWN(2WD)	PE-VPS	11.6～	-	4	ILKAR7L11
リバティ	2000	RM12.RNM12	QR20DE	01.5～04.12	L	4	LFR5A-11
ルークス	660	ML21S	K6A	09.12～13.3	-	3	LKR7BI8
	660	ML21S	K6A(ターボ)	09.12～13.3	-	3	LKR7BI8
ルキノクーペ	1500	FB14	GA15DE	94.5～99.4	ISO	4	BKR5E-11
	1600	JB14	SR16VE	97.9～99.4	ISO	4	BKR6E-N
	1800	HB14	SR18DE	94.5～97.8	ISO	4	BKR5EY
ルキノ	1500	FN15	GA15DE	95.1～00.8	ISO	4	BKR5E-11
	1600	EN15	GA16DE	95.1～00.8	ISO	4	BKR5E-11
	1800	HN15	SR18DE	95.1～00.8	ISO	4	BKR5EY

ルキノSR-V	1500	FN15.FNN15	CA15DE	96.5～00.8	ISO	4	BKR5E-11
	1600	JN15	SR16VE	97.9～00.8	ISO	4	BKR6E-N
	1800	HNN15(2WD)	SR18DE	96.5～00.8	ISO	4	BKR5EY
	1800	HNN15(4WD)	SR18DE	96.5～00.8	ISO	4	BKR5EY-11
ローレル	2000	HC33	RB20E	89.1～93.1	JIS	6	BCPR5ES-11
	2000	HC33.HCC33	RB20DE	89.1～93.1	JIS	6	PFR5A-11
	2000	HC33.HCC33	RB20DET(ターボ)	89.1～93.1	JIS	6	PFR5A-11
	2000	HC34	RB20E	93.1～97.6	JIS	6	BCPR5ES-11
	2000	HC34	RB20DE	93.1～97.6	JIS	6	PFR5A-11
	2000	HC35	RB20DE	97.6～03.1	ISO	6	PFR5G-11
	2500	EC33.ECC33	RB25DE	91.10～93.1	JIS	6	PFR5K-11
	2500	GC34.GCC34.GNC34	RB25DE	93.1～97.6	ISO	6	PFR5G-11
	2500	GC34.GCC34.GNC34	RB25DET(ターボ)	94.1～97.6	ISO	6	PFR5G-11
	2500	GC35.GNC35	RB25DE	97.6～03.1	ISO	6	PFR5G-11
	2500	GC35.GCC35	RB25DET(ターボ)	97.6～03.1	ISO	6	PFR5G-11

HONDA

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
	2000	RD1.2	B20B	95.10～98.12	ISO	4	ZFR5F-11
	2000	RD1.2	B20B	98.12～01.8	ISO	4	ZFR6J-11

CR-V	2000	RD4.5	K20A	01.9～04.9	ISO	4	ZFR6K-11
	2000	RM1	R20A(SOHC)	11.12～	-	4	SILZKR7C11S
	2400	RD6.7	K24A(DOHC.i-VTEC)	04.9～06.10	ISO	4	ZFR6K-11
	2400	RE3.4	K24A(DOHC.i-VTEC)	06.10～11.12	ISO	4	ZFR6K-11
	2400	RM4	K24A(DOHC)	11.12～	-	4	SILZKR7C11S
CR-X	1600	EF8	B16A	89.9～92.2	ISO	4	BKR6E-N-11
	1600	EG2	B16A	92.3～95.9	ISO	4	BKR6E-N-11
	1600	EJ4	D16A	95.10～99.8	ISO	4	BKR5E-11
HR-V	1600	GH1.2.3.4	D16A	98.9～06.2	ISO	4	ZFR5J-11
	1600	GH2.4	D16A(VTEC)	98.9～06.2	ISO	4	ZFR5J-11
MDX	3500	YD1	J35A	03.2～06.6	ISO	6	IZFR5K11
N-BOX+ / カスタム	660	JF1.2	S07A(DOHC.PGM-FI)	12.7～13.12	-	3	ILZKR7B8S
	660	JF1.2	S07A(DOHC.PGM-FI)	13.12～	-	3	DILZKAR7C11S
	660	JF1.2	S07A(DOHCターボ.PGM-FI)	12.7～13.12	-	3	ILZKR7B8S
	660	JF1.2	S07A(DOHCターボ.PGM-FI)	13.12～	-	3	ILZKAR8F8S
	660	JH1.2	S07A(DOHC.PGM-FI)	13.11～	-	3	DILZKAR7C11S
	660	JH1.2	S07A(DOHCターボ.PGM-FI)	13.11～	-	3	ILZKAR8F8S
N-ONE	660	JG1.2	S07A(DOHC.PGM-FI)	12.11～	-	3	ILZKAR8F8S
	660	JG1.2	S07A(DOHCターボ.PGM-FI)	12.11～	-	3	ILZKAR8F8S
N-WGN / カスタム	660	JH1.2	S07A(DOHC.PGM-FI)	13.11～	-	3	DILZKAR7C11S

IN-VGN / カスタム	660	JH1.2	S07A(DOHCターボ.PGM-FI)	13.11～	-	3	ILZKAR8F8S
NSX	3000	NA1	C30A	90.9～99.9	ISO	6	PFR6G-11
	3000	NA1	C30A	99.9～05.2	ISO	6	PFR5G-11
	3200	NA2	C32B	97.2～99.9	ISO	6	PFR6G-11
	3200	NA2	C32B	99.9～05.2	ISO	6	PFR5G-11
S2000	2000	AP1	F20C	99.4～05.11	ISO	4	PFR7G-11
	2200	AP2	F22C	05.11～09.8	ISO	4	PFR7G-11
S-MX	2000	RH1.2	F20B	96.11～99.9	ISO	4	ZFR5F-11
	2000	RH1.2	F20B	99.9～02.1	ISO	4	ZFR6J-11
Z	660	PA1	E07Z	98.10～02.1	ISO	3	BKR6E-11
	660	PA1	E07Z(ターボ)	98.10～02.1	ISO	3	IFR6C
アコード	2000	CF4.5.CL3	F20B(SOHC.VTEC)	97.9～02.10	ISO	4	ZFR5F-11
	2000	CF4	F20B(DOHC.VTEC)	97.9～02.10	ISO	4	PZFR6F-11
	2000	CL7.8	K20A(DOHC.i-VTEC)	02.10～08.12	ISO	4	ZFR6K-11
	2000	CL7(ユーロR)	K20A(DOHC.i-VTEC)	02.10～08.12	ISO	4	IFR7G-11KS
	2000	CU1	R20A(SOHC.i-VTEC)	11.2～	-	4	IZFR6K11NS
	2200	CB7	F22A	92.4～93.9	ISO	4	ZFR5F-11
	2200	CB7(クーペ)	F22A	91.11～94.2	ISO	4	ZFR5F-11
	2200	CD5	F22B	93.9～97.9	ISO	4	ZFR5F-11
	2200	CD6	F22A(DOHC.VTEC)	93.9～97.9	ISO	4	PZFR6F-11

	2200	CD7(クーペ)	F22B(VTEC)	94.3~97.9	ISO	4	ZFR5F-11
	2200	CD8(クーペ)	F22A(VTEC)	94.3~97.9	ISO	4	ZFR6F-11
	2200	CL1(ユーロR)	F22A(VTEC)	00.6~02.10	ISO	4	PZFR6F-11
	2400	CL9	K24A(DOHC.i-VTEC)	02.10~08.12	-	4	IZR6K11
	2400	CU2	K24A(PGM-FI)	08.12~11.2	-	4	ILZKR7B-11S
	2400	CU2	K24A(DOHC.i-VTEC)	11.2~	-	4	ILZKR7B-11S
インテグラ	1600	DA6.8	B16A(DOHC)	89.4~93.5	ISO	4	BKR6E-N-11
	1800	DB1	B18B	91.10~93.7	ISO	4	ZFR5F-11
	1800	DB7	B18B	93.7~95.9	ISO	4	ZFR5J-11
	1800	DC2.DB8	B18C(VTEC)	93.5~01.7	ISO	4	BKR6E-N-11
	1800	DC2.DB8(タイプR)	B18C(VTEC)	95.10~01.7	ISO	4	PFR7G-11S
	2000	DC5	K20A(i-VTEC)	01.7~03.9	ISO	4	ZFR6K-11
インテグラ	2000	DC5(タイプR)	K20A(i-VTEC)	01.7~03.9	ISO	4	IFR7G-11KS
インテグラSJ	1500	EK3	D15B(VTEC)	96.3~00.9	ISO	4	ZFR6J-11
	1500	EK3	D15B(HYPER16V)	96.3~99.1	ISO	4	BKR5E-11
	1500	EK3	D15B(HYPER16V)	99.1~00.9	ISO	4	ZFR5J-11
ヴェゼル	1500	RU1.2	L15B	13.12~	-	4	DILZKAR7C11S
	1500	RU3.4	LEB(ハイブリッド)	13.12~	-	4	DILZKAR7C11S
エアウェイブ	1500	GJ1.2	L15A	05.4~10.8	ISO	4	IZFR6K-13
	1700	BE1.2	D17A(SOHC.VTEC)	04.7~06.11	ISO	4	ZFR6J-11

エディックス	2000	BE3.4	K20A(DOHC.i-VTEC)	04.7～09.8	ISO	4	ZFR6K-11
	2400	BE8	K24A(DOHC.i-VTEC)	06.11～09.8	ISO	4	ZFR6K-11
エリシオン	2400	RR1.2	K24A(DOHC.i-VTEC)	04.5～	ISO	4	IZFR6K-11
	3000	RR3.4	J30A(SOHC.i-VTEC)	04.5～	ISO	6	IZFR6K-11
	3500	RR5.6	J35A(SOHC.i-VTEC)	07.1～	ISO	6	IZFR6K-11
オデッセイ	2200	RA1.2	F22B	94.10～97.8	ISO	4	ZFR5F-11
	2300	RA3.4	F23A(VTEC)	97.8～00.1	ISO	4	ZFR5F-11
	2300	RA6.7	F23A(VTEC)	00.1～04.1	ISO	4	ZFR5F-11
	2400	RB1.2	K24A(DOHC.i-VTEC)	04.1～08.10	ISO	4	IZFR6K11
	2400	RB3.4	K24A(DOHC.i-VTEC)	08.10～11.10	-	4	DILZKR7B11GS
	2400	RB3.4	K24A(DOHC.i-VTEC)	11.10～13.10	-	4	DILZKR7B11GS
	2400	RB3.4(アブソルート)	K24A(DOHC.i-VTEC)	08.10～13.10	-	4	ILZKR7B-11S
	2400	RC1.2	K24W	13.11～	-	4	ILKAR7K11S
	2400	RC1.2(アブソルート)	K24W	13.11～	-	4	DILKAR7G11GS
	3000	RA5	J30A(VTEC)	97.10～00.1	ISO	6	ZFR5F-11
	3000	RA8.9	J30A(VTEC)	00.1～04.1	ISO	6	ZFR5J-11
キャパ	1500	GA4.6	D15B	98.4～99.9	ISO	4	ZFR5F-11
	1500	GA4.6	D15B	99.9～02.1	ISO	4	ZFR5J-11
ザッツ	660	JD1.2	E07Z	02.2～06.3	ISO	3	BKR6E-11
	660	JD1.2	E07Z(ターボ)	02.2～06.3	ISO	3	IFR6C

シビック／フェリオ

1500	EK3	D15B	95.9～98.9	ISO	4	BKR5E-11
1500	EK3	D15B	98.9～00.9	ISO	4	ZFR5J-11
1500	EK3	D15B(VTEC)	95.9～00.9	ISO	4	ZFR6J-11
1500	ES1.EU1(2WD)	D15B(SOHC)	00.9～	ISO	4	ZFR5J-11
1500	ES1.EU1	D15B(VTEC.リーンバーン)	00.9～	ISO	4	IZFR5F11
1500	ES2(フェリオ.4WD)	D15B(SOHC)	00.9～	ISO	4	IZFR5F11
1500	ES2(フェリオ.4WD)	D15B(SOHC.VTEC)	00.9～	ISO	4	IZFR5F11
1500	EU1(2WD)	D15B(SOHC.VTEC)	00.9～	ISO	4	ZFR5J-11
1500	EU2(4WD)	D15B(SOHC.VTEC)	00.9～	ISO	4	ZFR6J-11
1600	EH1.EJ3	ZC	91.9～95.9	ISO	4	BKR6E-11
1600	EH1.EG5	ZC(DOHC)	91.9～95.9	ISO	4	BKR6E-N-11
1600	EG6.9	B16A(DOHC.VTEC)	91.9～95.9	ISO	4	BKR6E-N-11
1600	EK4	B16A(DOHC.VTEC)	95.9～00.9	ISO	4	BKR6E-N-11
1600	EK5	D16A	95.9～00.9	ISO	4	ZFR5J-11
1600	EK8	D16A	97.2～98.10	ISO	4	ZFR5F-11
1600	EK9(タイプR)	B16B(DOHC.VTEC)	97.8～01.12	ISO	4	PFR7G-11S
1600	EJ1(クーペ)	D16A	92.11～96.1	ISO	4	ZFR5J-11
1600	EJ7(クーペ)	D16A	96.1～96.12	ISO	4	ZFR5J-11
1600	EJ7改	D16B(CNG.VTEC-E)	98.7～	-	4	PFR7N-D
1700	EU3.4.ES3	D17A(VTEC)	00.9～05.9	ISO	4	ZFR6J-11

	1700	ET2	D17A(VTEC)	03.9～05.9	ISO	4	ZFR6J-11
	1800	FD1	R18A(SOHC.i-VTEC)	05.9～	ISO	4	IZFR6K-11S
	2000	EP3(タイプR)	K20A(DOHC.VTEC)	01.12～	ISO	4	IFR7G-11KS
	2000	FD2	K20A(DOHC.i-VTEC)	06.4～	ISO	4	IZFR6K11
	2000	FD2(タイプR)	K20A(DOHC.i-VTEC)	07.3～	ISO	4	IFR7G-11KS
	2000	FD2(タイプRユーロ)	K20A(DOHC.PGM-FI)	09.11～	ISO	4	IFR7G-11KS
ステップワゴン	2000	RF1.2	B20B	96.5～99.5	ISO	4	ZFR5F-11
	2000	RF1.2	B20B	99.5～01.4	ISO	4	ZFR6J-11
	2000	RF3.4	K20A(DOHC.i-VTEC)	01.4～05.5	ISO	4	ZFR6K-11
	2000	RF5.6	K20A(DOHC.i-VTEC)	03.6～05.5	ISO	4	ZFR6K-11
	2000	RG1.2	K20A(DOHC.i-VTEC)	05.5～07.11	ISO	4	ZFR6K-11
	2000	RG1.2	K20A(DOHC.i-VTEC)	07.11～09.10	ISO	4	IZFR6K11
	2000	RK1.2	R20A(DOHC.i-VTEC)	09.10～	ISO	4	IZFR6K11NS
	2000	RK5.6	R20A(DOHC.i-VTEC)	09.10～	ISO	4	IZFR6K11NS
	2400	RF7.8	K24A(DOHC.i-VTEC)	03.6～05.4	ISO	4	ZFR6K-11
	2400	RG3.4	K24A(DOHC.i-VTEC)	05.5～09.10	ISO	4	ZFR6K-11
ストリーム	1700	RN1.2	D17A(SOHC.VTEC)	00.10～06.7	ISO	4	ZFR6J-11
	1800	RN6.7	R18A(SOHC.i-VTEC)	06.7～	ISO	4	ZFR6K-11S
	2000	RN3	K20A(DOHC.iVTEC)	00.10～03.9	ISO	4	IZFR6K13
	2000	RN4	K20A(DOHC.iVTEC)	00.10～03.9	ISO	4	ZFR6J-11

	2000	RN3.4	K20A(DOHC.iVTEC)	03.9～06.7	ISO	4	ZFR6J-11
	2000	RN5	K20B(DOHC.i-VTEC)	03.12～06.7	ISO	4	LZFR6AT-S
	2000	RN8.9	R20A(DOHC.i-VTEC)	06.7～	ISO	4	ZFR6K-11S
ゼスト	660	JE1.2	P07A(SOHC.I-DSI)	06.3～08.12	ISO	6	BKR6E-9S
	660	JE1.2	P07A(SOHC.I-DSIターボ)	06.3～08.12	ISO	6	IFR6C-S
	660	JE1.2	P07A(SOHC.I-DSI)	08.12～	ISO	6	BKR6E-8S
ゼストスパーク	660	JE1.2	P07A(SOHC.I-DSI)	08.12～	ISO	6	BKR6E-8S
	660	JE1.2	P07A(SOHC.I-DSIターボ)	08.12～	ISO	6	IFR6C-S
バモス	660	HM1.2	E07Z	99.6～01.9	ISO	3	IFR6C
	660	HM1.2	E07Z	01.9～	ISO	3	BKR6E-11
	660	HM1.2	E07Z(ターボ)	00.2～10.8	ISO	3	IFR6C
ビート	660	PP1	E07A(PGM-FI)	91.5～96.1	ISO	3	BKR6E-11
フィット	1300	GD1.2	L13A(SOHC.I-DSI)	01.6～07.10	ISO	8	BKR6E-11
	1300	GE6.7	L13A(SOHC.i-VTEC)	07.10～10.10	ISO	4	DIFR6D13
	1300	GE6.7	L13A(SOHC.i-VTEC)	10.10～	ISO	4	DIFR6D13
	1300	GP1(ハイブリッド)	LDA(SOHC.i-VTEC.IMA)	10.10～	L	8	DILFR6J11
	1300	GK3.4	L13B(DOHC.i-VTEC)	13.9～	-	4	DILZKAR7C11S
	1500	GD3.4	L15A(SOHC.VTEC)	02.9～07.10	ISO	4	IZFR6K13
	1500	GE8.9	L15A(SOHC.i-VTEC)	07.10～13.9	ISO	4	IZFR6K13
	1500	GK5.6	L15B(SOHC.i-VTEC)	13.9～	-	4	DILZKAR7C11S

	1500	GP4(ハイブリッド)	LEA(SOHC)	12.5～13.9	ISO	4	DIFR6D13
	1500	GP5.6(ハイブリッド)	LEB(DOHC.i-VTEC)	13.9～	-	4	DILZKAR7C11S
フィットアリア	1300	GD6.7	L13A(SOHC.I-DSI)	02.12～05.10	ISO	8	BKR6E-11
	1500	GD8.9	L15A(SOHC.I-DSI)	02.12～	ISO	8	BKR6E-11
	1500	GD8.9	L15A(SOHC.VTEC)	05.10～	ISO	4	IZFR6K13
フィットシャトル	1300	GP2(ハイブリッド)	LDA(SOHC.i-VTEC.IMA)	11.6～	L	8	DILFR6J11
	1500	GG7.8	L15A(SOHC.VTEC)	11.6～	ISO	4	IZFR6K13
フリード	1500	GB3.4	L15A(SOHC.i-VTEC)	08.5～	ISO	4	IZFR6K13
	1500	GP3(ハイブリッド)	LEA(SOHC.i-VTEC.IMA)	11.10～	L	8	DILFR6J11
フリードスパイク	1500	GB3.4	L15A(SOHC.i-VTEC)	10.7～	ISO	4	IZFR6K13
	1500	GP3(ハイブリッド)	LEA(SOHC.i-VTEC.IMA)	11.10～	L	8	DILFR6J11
プレリュード	2000	BA1	B20A(PGM-FI)	85.6～87.4	JIS	4	BCPR6E-11
	2000	BA4.5	B20A	87.4～92.9	JIS	4	BCPR5E-11
	2000	BA4.5	B20A(DOHC)	87.4～92.9	JIS	4	BCPR6E-11
	2000	BA5(TCV車)	B20A(DOHC)	89.11～92.9	JIS	4	BCPR6EVX-11
	2100	BA7	B21A(DOHC)	90.10～92.9	ISO	4	ZFR6F-11
	2200	BA8.9	F22B(DOHC)	91.9～96.11	ISO	4	ZFR6F-11
	2200	BB1	H22A(VTEC)	91.9～96.11	ISO	4	PZFR6F-11
	2200	BB5	F22B(SOHC)	96.11～01.4	ISO	4	ZFR6F-11
	2200	BB5	F22B(DOHC)	96.11～01.4	ISO	4	ZFR6F-11

	2200	BB6.8	H22A(VTEC)	96.11～01.4	ISO	4	PZFR6F-11
モビリオ	1500	GB1.2	L15A(SOHC.I-DSI)	01.12～08.6	ISO	8	BKR6E-11
	1500	GB1	L15A(SOHC.VTEC)	04.1～08.6	ISO	4	IZFR6K13
モビリオスパイク	1500	GK1.2	L15A(SOHC.VTEC)	02.9～08.6	ISO	4	IZFR6K13
ライフ	660	JA4	E07A	97.4～99.10	ISO	3	BKR6E-11
	660	JB1.2	E07Z	99.10～03.9	ISO	3	BKR6E-11
	660	JB5.6	P07A(SOHC.I-DSI)	03.9～08.11	ISO	6	BKR6E-9S
	660	JB7.8	P07A(SOHC.I-DSIターボ)	13.10～08.11	ISO	6	IFR6C-S
	660	JC1.2	P07A(SOHC.I-DSI)	08.11～	ISO	6	BKR6E-8S
	660	JC1.2	P07A(SOHC.I-DSIターボ)	08.11～	ISO	6	IFR6C-S
ライフダンク	660	JB3.4	E07Z(ターボ)	00.12～03.5	ISO	3	IFR6C
レジェンド	3500	KA9	C35A	96.2～04.10	ISO	6	PFR5G-11
	3500	KB1	J35A	04.10～08.9	ISO	6	IZFR6K11
	3700	KB2	J37A	08.9～10.9	-	6	ILZKR7B-11S

MAZDA

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
CX-5	2000	KEEFW.KEEAW	PE-VPS(SKYACTIV・DISI)	12.2～12.7	-	4	DILKAR7F8
	2000	KEEFW.KEEAW	PE-VPS(SKYACTIV・DISI)	12.8～	-	4	ILKAR7L11
CX-7	2300	ER3P	L3-VDT(DOHC DISI ターボ)	06.12～09.9	-	4	DILKAR7F8

UX-7	2300	ER3P	L3-VDT(DOHC DISI ターボ)	09.9～	-	4	ILKAR7L11
MPV	2000	LWEW	FS-DE	99.6～02.4	ISO	4	ZFR5F-11
	2300	LW3W(CNo.100001～308378)	L3	02.4～06.2	B	4	ITR6F13
	2300	LW3W(CNo.308379～)	L3	02.4～06.2	B	4	TR5AI-13
	2300	LY3P	L3-VE	06.2～	-	4	LTR5BI-13
	2300	LY3P	L3-VDT(DISI ターボ)	06.3～	-	4	ILTR6A-8G
	2500	LV5W	G5-E	95.1～99.6	ISO	4	ZFR5F-11
	2500	LW5W	GY-DE	99.6～02.4	B	6	TR55IX
	3000	LVEW	JE	90.1～95.10	ISO	6	ZFR5F-11
	3000	LVEW	JE-E	95.10～99.6	ISO	6	BKR5E-11
	3000	LWFW	AJ	02.4～06.2	B	6	TR55IX
RX-8	1300	SE3P	13B-MSP	03.4～	-	各2	RE7A-L/RE9B-T
	1500	BK5P	ZY-VE	03.10～06.6	ISO	4	BKR5E-11
	1500	BK5P	ZY-VE	06.6～09.6	ISO	4	FK16PR11
	1500	BL5FW.BL5FP	ZY-VE	09.6～13.11	ISO	4	FK16PR11
	1500	BM5FP.BM5FS	P5-VPS(SKYACTIV)	13.11～	-	4	ILKAR7L11
	1500	BM5AP.BM5AS	P5-VPS(SKYACTIV)	13.11～	-	4	ILKAR7L11
	2000	BKEP	LF-DE	03.10～06.6	B	4	TR5AI-13
	2000	BKEP	LF-VE	06.6～09.6	-	4	LTR5BI-13
	2000	BLEAW.BLEAP	LF-VE	09.6～13.11	-	4	LTR5BI-13

アクセラ	2000	BLEFW.BLEFP	LF-VDS	09.6～13.11	－	4	LTR6BI-13
	2000	BLFFW.BLFFP	PE-VPS(SKYACTIV・DISI)	11.9～12.7	－	4	DILKAR7F8
	2000	BLFFW.BLFFP	PE-VPS(SKYACTIV・DISI)	12.8～13.11	－	4	ILKAR7L11
	2000	BMEFS	PE-VPS(SKYACTIV)	13.11～	－	4	ILKAR7L11
	2000	BYEFP	PE-VPH(SKYACTIV ハイブリッド)	13.11～	－	4	ILKAR7L11
	2300	BK3P	L3-VE	03.10～06.6	－	4	TR5AI-13
	2300	BK3P	L3-VE	06.6～09.6	－	4	LTR5BI-13
	2300	BK3P	L3-VDT(DISI ターボ)	06.6～09.6	－	4	ILTR6A-8G
	2300	BL3FW	L3-VDT(DISI ターボ)	09.6～13.11	－	4	SILTR6A7G
アテンザ	2000	GGEF.GGES	LF-DE	02.5～05.6	B	4	ITR6F13
アテンザ	2000	GGEF.GGES	LF-VE	05.6～08.1	－	4	LTR5BI-13
	2000	GHEFS	LF-VE	08.1～	－	4	LTR5BI-13
	2000	GHEFP	LF-VE	08.1～10.1	－	4	LTR5BI-13
	2000	GHEFP	LF-VD	10.1～	－	4	LTR6BI-13
	2000	GJEFP.GJEFW	PE-VPR(SKYACTIV)	12.11～	－	4	ILKAR7L11
	2300	GG3P.GG3S	L3-VE	02.5～05.6	B	4	ITR6F13
	2300	GG3P.GG3S	L3-VE	05.6～08.1	－	4	LTR5BI-13
	2300	GG3P	L3-VDT(DISI ターボ)	05.6～08.1	－	4	ILTR6A-8G
	2500	GH5FP.GH5AP.GH5FS.GH5AS	L5-VE	08.1～	－	4	LTR5BI-13
	2500	GJ5FP.GJ5FW	PY-VPR(SKYACTIV)	12.11～	－	4	ILKAR7L11

アテンザスポーツワゴン	2000	GYEW	LF-DE	02.6～05.6	B	4	ITR6F13
	2000	GYEW	LF-VE	05.6～08.1	-	4	LTR5BI-13
	2000	GHEFW	LF-VE	08.1～10.1	-	4	LTR5BI-13
	2000	GHEFW	LF-VD	10.1～	-	4	LTR6BI-13
	2000	GJEFW	PE	12.11～	-	4	ILKAR7L11
	2300	GY3W	L3-VE	02.5～05.6	B	4	ITR6F13
	2300	GY3W	L3-VE	05.6～08.1	-	4	LTR5BI-13
	2500	GH5FW.GH5AW	L5-VE	08.1～	-	4	LTR5BI-13
	2500	GJ5FW	PY	12.11～	-	4	ILKAR7L11
キャロル	660	HB12S	F6A(4バルブ)	98.10～00.12	-	3	DCPR7E
	660	HB22S	K6A(4バルブ)	99.10～00.12	-	3	DCPR7E
	660	HB22S	K6A(リーンバーン)	99.10～01.5	-	3	IKR7A
	660	HB23S	K6A(DOHC)	00.12～04.9	-	3	DCPR7E
	660	HB23S	K6A(DOHC・VVT)	00.12～04.9	-	3	DCPR7E
	660	HB23S	K6A(リーンバーン)	01.5～04.9	-	3	IKR7A
	660	HB24S	K6A(DOHC)	04.9～09.12	-	3	IKR7A
	660	HB25S	K6A(DOHC)	09.12～	-	3	LKR7BI8
	1300	DW3W	B3-ME	96.8～99.12	ISO	4	BKR5E-11
	1300	DW3W	B3E	99.12～02.8	ISO	4	BKR5E-11
	1300	DY3W	ZJ-VE	02.8～07.6	ISO	4	BKR5E-11

デミオ	1300	DY3R	ZJ-VE	03.11～07.6	ISO	4	BKR5E-11
	1300	DE3AS.DE3FS	ZJ-VE	07.6～	ISO	4	FK16PR11
	1300	DE3FS	ZJ-VEM	07.6～	ISO	4	FK16PR11
	1300	DEJFS	P3-VPS(SKYACTIV・DISI)	11.6～12.7	－	4	DILKAR7F8
	1300	DEJFS	P3-VPS(SKYACTIV・DISI)	12.8～	－	4	ILKAR7L11
	1500	DW5W	B5-ME	96.8～99.12	ISO	4	BKR5E-11
	1500	DW5W	B5E	99.12～02.8	ISO	4	BKR5E-11
	1500	DY5W	ZY-VE	02.8～07.6	ISO	4	BKR5E-11
	1500	DY5R	ZY-VE	03.11～07.6	ISO	4	BKR5E-11
	1500	DE5FS	ZY-VE	07.6～	ISO	4	FK16PR11
ピアンテ	2000	CCEAW.CCEFW	LF-VD	08.7～	－	4	LTR6BI-13
	2000	CCEFW	LF-VDS	09.6～	－	4	LTR6BI-13
	2000	CCFFW	PE-VPS(SKYACTIV)	13.5～	－	4	ILKAR7L11
	2300	CC3FW	L3-VE	08.7～	－	4	LTR5BI-13
	1500	BHA5P.BHA5S	B5-ZE(DOHC)	94.6～96.10	ISO	4	BKR5E-11
	1500	BHALP.BHALS	Z5-DE(DOHC)	94.6～99.6	ISO	4	BKR5E-11
	1500	BHALP	Z5-DEL(リーンバーン)	94.9～99.6	ISO	4	BKR6E-11
	1500	BJ5P.BJ5W	ZL-DE(DOHC)	98.6～04.4	ISO	4	BKR5E-11
	1500	BJ5P.BJ5W	ZL-VE(DOHC)	98.6～04.4	ISO	4	BKR5E-11
	1500	BWIFY10.BWFNY10(ワゴン)	ZL-VE(DOHC)	94.9～99.6	ISO	4	BKR5E-11

ファミリア

1500	BV FY10.BV FNY10(バン)	GA15(DOHC)	94.9～99.6	ISO	4	BKR5E-11
1500	BW FY11(ビジネスワゴン)	GA15(DOHC)	99.6～99.12	ISO	4	PFR5G-11
1500	BV FY11(バン)	QG15DE	99.6～02.8	ISO	4	BKR5E-11
1500	BV FY11(バン)	QG15DE	02.8～08.12	L	4	LFR5A-11
1500	BV Y12(バン)	QG15DE	07.1～	-	4	DILZKAR6A11
1600	BHA6R	B6-DE(DOHC)	94.10～96.10	ISO	4	BKR5EVX-11
1600	BHA6R	B6-DE(DOHC)	96.10～98.6	ISO	4	BKR5E-11
1600	BV ZNY12	HR16DE	10.8～	-	4	LZKAR6AP-11
1800	BG8P.8S	BP(DOHC)	91.1～92.8	ISO	4	BKR6E-11
1800	BG8P.8S	BP(DOHC)	92.9～94.6	ISO	4	BKR5E-11
1800	BG8R.8Z	BP(ターボ)	89.8～94.6	ISO	4	BKR6E-11
1800	BG8Z	BPB(ターボ)	92.2～94.6	ISO	4	BKR6EVX-11
1800	BHA8P	BP-ZE(DOHC)	94.6～98.6	ISO	4	BKR5E-11
1800	BHA8S	BP-ZE(DOHC)	94.6～99.6	ISO	4	BKR5E-11
1800	BJ8W	FP-DE(DOHC)	98.6～04.4	ISO	4	BKR5E-11
1800	BW HY10.BW HNY10(ワゴン)	SR18DE(DOHC)	96.6～99.6	ISO	4	BKR5EY-11
1800	BW HNY11(ビジネスワゴン)	QG18DE	99.6～99.12	ISO	4	BKR5E-11
1800	BV HNY11(バン)	QG18DE	99.6～02.8	ISO	4	BKR5E-11
1800	BV HNY11(バン)	QG18DE	02.8～08.12	L	4	LFR5A-11
1800	BV GY11	QG18DEN(CNG)	02.8～08.12	-	4	FR7AI-D

	1800	BVJY12(バン)	MR18DE	07.1～	-	4	-
	2000	BJFP	FS-ZE(DOHC)	01.12～04.4	ISO	4	BKR5F-11
	2000	BJFW	FS-ZE(DOHC)	99.8～04.4	ISO	4	BKR5F-11
プレマシー	1800	CP8W	FP-DE(DOHC)	99.4～02.6	ISO	4	BKR5E-11
	1800	CP8W	FP-DE(DOHC)	02.6～05.2	ISO	4	ZFR5F-11
	2000	CPEW	FS-DE(DOHC)	01.7～05.2	ISO	4	ZFR5F-11
	2000	CREW	LF-DE	05.2～07.9	B	4	TR5AI-13
	2000	CREW	LF-VE	07.9～10.7	-	4	LTR5BI-13
	2000	CREW	LF-VD(DISI)	07.1～10.7	-	4	LTR6BI-13
	2000	CWEFW	LF-VD(DOHC DISI)	10.7～	-	4	LTR6BI-13
プレマシー	2000	CWEFW	LF-VDS(DOHC DISI)	10.7～	-	4	LTR6BI-13
	2000	CWEAW	LF-VE	10.8～	-	4	LTR5BI-13
	2000	CWFFW	PE-VPS(SKYACTIV)	13.1～	-	4	ILKAR7L11
	2300	CR3W	L3-VE	05.2～07.9	B	4	TR5AI-13
	2300	CR3W	L3-VE	07.9～	-	4	LTR5BI-13
ベリーサ	1500	DC5W	ZY-VE	04.6～05.12	ISO	4	BKR5E-11
	1500	DC5W	ZY-VE	05.12～	ISO	4	FK16PR11
	1500	DC5R	ZY-VE	04.6～	ISO	4	BKR5E-11
ユーノスコスモ	1300	JC3S.3SE	13B(ロータリーターボ)	90.4～95.5	RE	各2	BUR6EQ/BUR9EQ
	2000	JCES.ESE	20B(ロータリーターボ)	90.4～95.5	RE	各3	BUR6EQ/BUR9EQ

ランティス	1800	CBA8P	BP-ZE	93.9～97.9	ISO	4	BKR5E-11
	2000	CBAEP	KF-ZE	93.9～97.9	ISO	6	BKR6E-11
ロードスター	1600	NA6CE	B6-ZE	89.9～93.9	ISO	4	BKR6E-11
	1600	NB6CE	B6-ZE	98.1～05.8	ISO	4	BKR5E-11
	1800	NA8C	BP-ZE	93.9～98.1	ISO	4	BKR5E-11
	1800	NB8C	BP-ZE	98.1～00.7	ISO	4	BKR5E-11
	1800	NB8C	BP-VE	00.7～05.8	ISO	4	BKR5E-11
	1800	NB8C	BP-ZET(DOHCターボ)	04.2～05.8	-	4	SK16PR-F8
	2000	NCEC	LF-VE(DOHC)	05.8～	-	4	LTR6BI-13

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
eKスポーツ	660	H81W	3G83(4バルブ.SOHC)	02.9～03.8	ISO	3	ZFR5F-11
	660	H81W	3G83(4バルブ.SOHCターボ)	02.9～06.9	ISO	3	IFR6B
	660	H82W	3G83(4バルブ.SOHC)	06.9～10.8	ISO	3	ZFR6F-11
	660	H82W	3G83(4バルブ.SOHC)	10.8～13.6	ISO	3	ZFR5F-11
	660	H82W	3G83(4バルブ.SOHCターボ)	06.9～13.6	ISO	3	IFR6B
eKワゴン	660	H81W	3G83(4バルブ.SOHC)	01.10～06.9	ISO	3	ZFR5F-11
	660	H82W	3G83(4バルブ.SOHC)	06.9～10.8	ISO	3	ZFR6F-11
	660	H82W	3G83(4バルブ.SOHC)	10.8～13.6	ISO	3	ZFR5F-11

	660	B11W	3B20	13.6～	－	3	LKR7BIX-P
i	660	HA1W	3B20	06.10～09.11	－	3	LKR7B-9
	660	HA1W	3B20	09.11～	ISO	3	FXU22HR11
	660	HA1W	3B20(ターボ)	06.1～	－	3	ILKR7B8
RVR	1800	N11W.21W.21WG	4G93	91.7～97.11	ISO	4	BKR5E-11
	1800	N61W.71W	4G93(GDI)	97.11～99.11	－	4	BKR6EKUC
	1800	N61W.71W	4G93(GDI)	99.11～02.12	－	4	BKR5EKUD
	1800	GA3W	4B10(DOHC・MIVEC)	10.2～	ISO	4	DIFR5C11
	1800	GA4W(AS&G車)	4J10(SOHC・MIVEC)	11.10～	－	4	DILKR6D11G
	2000	N13W.23W.23WG	4G93(DOHC)	91.2～97.11	B	4	BP6ES-11
	2000	N23W.23WG	4G93(DOHCターボ)	94.9～97.11	B	4	BP6ES
	2000	N73WG	4G93(DOHCターボ)	97.11～02.12	B	4	PGR6A
	2400	N64WG.74WG	4G64(GDI)	97.11～01.11	－	4	BKR6EKUC
	2400	N64WG.74WG	4G64(GDI)	01.11～02.12	－	4	BKR5EKUD
アウトランダー	2000	CW4W	4B11(DOHC・MIVEC)	10.1～12.10	ISO	4	DIFR6C11
	2000	GF7W	4J11(SOHC)	12.10～	－	4	DILKR6D11G
	2400	CW5W	4B12(DOHC・MIVEC)	05.10～09.9	ISO	4	FR5EI
	2400	CW5W	4B12(DOHC・MIVEC)	09.9～12.10	ISO	4	DIFR5C11
	2400	GF8W	4J12(SOHC)	12.10～	－	4	DILKR6D11G
	3000	CW6W	6B31	07.10～09.9	－	6	ILKR7B8

アウトランダーPHEV	2000	GG2W	4B11 (DOHC・MIVEC)	12.10～	ISO	4	DIFR5C11
エアトレック	2000	CU2W	4G63 (MPI.4バルブ SOHC)	01.6～05.10	ISO	4	BKR6E-11
	2000	CU2W	4G63 (MPI.DOHCターボ)	02.6～04.1	B	4	PGR6A
	2000	CU2W	4G63 (MPI.DOHCターボ)	04.1～05.10	B	4	IGR6A
	2400	CU4W	4G64 (GDI.DOHC)	01.6～04.1	-	4	BKR5EKUD
	2400	CU4W (スポーツギア)	4G64 (MPI.4バルブ SOHC)	03.1～04.1	ISO	4	BKR5E-11
	2400	CU5W (スポーツギア)	4G69 (MIVEC.4バルブ SOHC)	04.1～05.10	ISO	4	LZFR6AI
エクリプス	2000	D22A	4G63 (DOHC)	90.2～94.6	B	4	BPR6ES-11
	2000	D27A	4G63 (ターボ)	90.2～94.6	B	4	BPR6ES
	2000	D32A	4G63 (ターボ)	94.6～00.9	B	4	BPR6EKN
	2000	D38A	4G63 (ターボ)	94.6～00.9	B	4	BPR6EKN
コルト	1300	Z25A.Z26A	4G19	02.11～04.10	-	4	ILZFR5B
	1300	Z21A.Z22A	4A90 (DOHC・MIVEC)	04.10～10.6	-	4	ILZFR6C-11K
	1300	Z21A.Z22A	4A90 (DOHC・MIVEC)	10.6～	L	4	DILFR5A11
	1500	Z27A.Z28A	4G15	02.11～04.10	-	4	ILZFR5B
	1500	Z23A.A24A	4A91 (DOHC・MIVEC)	04.10～10.6	-	4	ILZFR6C-11K
	1500	Z27A	4G15 (DOHCターボ・MIVEC)	04.10～06.5	-	4	ILZFR6C-K
	1500	Z27AG (ラリーアートバージョン R)	4G15 (DOHCターボ・MIVEC)	06.5～	-	4	ILZFR6C-K
コルトプレミア	1300	Z21W.Z22W	4A90 (DOHC・MIVEC)	10.6～	L	4	DILFR5A11
	1500	Z23W.Z24W	4A91 (DOHC・MIVEC)	04.10～10.6	-	4	ILZFR6C-11K

コルトノフス	1500	Z23W.Z24W	4A91 (DOHC・MIVEC)	10.6～	L	4	DILFR5A11
	1500	Z27W	4G15 (DOHCターボ・MIVEC)	04.10～08.10	－	4	ILZFR6C-K
シャリオ／グランディス	2000	N33W.43W	4G63	91.5～92.6	B	4	BPR6ES-11
	2000	N33W.43W	4G63	92.6～97.10	B	4	BPR5E-11
	2000	N43W	4G63 (ターボ)	95.5～97.10	B	4	BP6ES
	2400	N34W.44W	4G64	93.5～97.10	B	4	BPR5E-11
	2400	N84W.94W	4G64 (GDI)	97.10～01.4	－	4	BKR6EKUS
	2400	N84W.94W	4G64 (GDI)	01.4～03.5	－	4	BKR5EKUD
シャリオ／グランディス	2400	NA4W	4G69 (SOHC)	03.5～09.3	ISO	4	LZFR6AI
	3000	N86W.96W	6G72 (GDI)	99.10～01.8	－	6	BKR5EKUC
	3000	N86W.96W	6G72 (GDI)	01.8～02.5	－	6	BKR5EKUD
デリカD:2	1500	MB15S	K12B	11.3～14.2	－	4	IKR6G11
	1500	MB15S	K12B	14.2～	－	4	－
	1500	MB15S	K12B (DJE)	13.12～	－	4	－
デリカD:3	1600	BM20	HR16DE	11.10～	－	4	LZKAR6AP-11
デリカD:5	2000	CV4W (2WD)	4B11	10.1～11.11	ISO	4	DIFR6C11
	2000	CV4W (2WD)	4J11	11.12～	－	4	DILKR6D11G
	2400	CV5W	4B12	07.1～09.11	ISO	4	FR5EI
	2400	CV5W	4B12	09.11～10.1	ISO	4	DIFR5C11
	2400	CV5W	4B12	01.1～	ISO	4	DIFR5C11

トップ	660	H82A	3G83(4バルブ.SOHC)	08.9～	ISO	3	ZFR6F-11
	660	H82A	3G83(4バルブ.SOHCターボ)	08.9～	ISO	3	IFR6B
パジェロミニ	660	H51A.56A	4A30	94.12～98.10	-	4	DCPR7E
	660	H56A	4A30(ターボ)	94.12～98.10	-	4	DCPR7E
	660	H53A.58A	4A30	98.10～	-	4	DCPR7E
	660	H53A.58A	4A30(DOHCターボ)	98.10～02.9	-	4	DCPR7E
	660	H53A.58A	4A30(SOHCターボ)	02.9～	-	4	IKR7B
パジェロ	3000	V63W.73W	6G72(SOHC)	01.8～06.10	ISO	6	IFR6E11
	3000	V83W.93W	6G72(SOHC)	06.10～09.12	ISO	6	IFR6B-K
	3000	V83W.93W	6G72(SOHC)	09.12～	ISO	6	DIFR6C11
	3500	V65W.75W	6G74(GDI)	99.9～06.10	-	6	BKR5ETUA
	3800	V77W	6G75	05.11～06.10	ISO	6	IFR6S
	3800	V87W.97W	6G75	06.10～	ISO	6	IFR6B-K
ミニカ	660	H42A.47A.42V.47V	3G83(4バルブ.SOHC)	98.10～06.10	ISO	3	ZFR5F-11
	660	H42A.47A.42V.47V	3G83(4バルブ.SOHC)	06.10～	ISO	3	ZFR6F-11
ミラージュ	1600	CA4A.CC4A	4G92(DOHC.ECU)	91.10～95.10	ISO	4	BK7E-11
	1600	CB6A	6A10 DOHC.ECU)	91.10～95.10	ISO	6	PFR6J-11
	1600	CA4A.CB4A	4G92(MIVEC)	92.10～95.10	ISO	4	BK7EK-N-11
	1600	CA4A.CB4A	4G92(MIVEC-MD)	92.10～95.10	ISO	4	BK7EK-N-11
	1600	CJ4A.CK4A	4G92(MIVEC)	95.10～02.8	ISO	4	BKR7EKC-N-11

ランサー	1500	CS2A.2W	4G15(DOHC)	03.2～10.5	ISO	4	BKR5E-11
	1800	CS5A.5W	4G93(GDI)	03.2～10.5	-	4	BKR5EKUD
	1800	CS5A.5W	4G93(GDIターボ)	03.2～10.5	-	4	BKR5EKUD
	2000	CS6A	4G94	05.1～10.5	ISO	4	BKR5E-11
ランサーエボリューション	2000	CD9A(Ⅰ)	4G63(DOHCターボ)	91.10～94.1	B	4	BP6ES
	2000	CE9A(Ⅱ)	4G63(DOHCターボ)	94.1～94.9	B	4	BP7ES
	2000	CE9A(Ⅲ)	4G63(DOHCターボ)	94.9～96.8	B	4	BPR7EKN
	2000	CN9A(Ⅳ)	4G63(DOHCターボ)	96.8～98.1	B	4	PGR7A
	2000	CP9A(Ⅴ.Ⅵ)	4G63(DOHCターボ)	98.1～00.1	B	4	PGR7A
	2000	CP9A(Ⅵ.トミーマネキンエディション)	4G63(DOHCターボ)	00.1～01.2	B	4	IGR7A
	2000	CT9A(Ⅶ.MT車)	4G63(DOHCターボ)	01.2～03.01	B	4	IGR7A-G
	2000	CT9A(Ⅶ.AT車)	4G63(DOHCターボ)	02.2～03.01	B	4	IGR7A
	2000	CT9A(Ⅷ)	4G63(DOHCターボ)	03.1～05.03	B	4	IGR7A-G
	2000	CT9A(Ⅸ)	4G63(DOHCターボ)	05.3～07.10	L	4	ILFR7H
	2000	CT9W(ワゴンMT車)	4G63(DOHCターボ)	05.9～07.10	L	4	ILFR7H
	2000	CT9W(ワゴンAT車)	4G63(DOHCターボ)	05.9～07.10	B	4	IGR7A
	2000	CZ4A(Ⅹ)	4G63(DOHCターボ)	07.10～10.10	-	4	ILKR8E6
	2000	CZ4A(Ⅹ)	4G63(DOHCターボ)	10.10～	-	4	DILKR8B6
	1800	EA1W.EC1W	4G93(GDI)	05.3～98.8	-	4	PZFR6B
	1800	EA1W.EC1W	4G93 GDI)	96.8～00.5	-	4	BKR6EKUC

レグナム	2000	EA4W.EC4W	6A12	98.8～98.8	ISO	各3	BKR6E-11
	2000	EA7W.EC7W	4G94 (GDI)	96.8～01.4	－	4	BKR5EKUC
	2000	EA7W.EC7W	4G94 (GDI)	00.5～02.8	－	4	BKR5EKUD
	2400	EA3W.EC3W	4G64 (GDI)	01.4～01.4	－	4	BKR6EKUC
	2400	EA3W.EC3W	4G64 (GDI)	98.8～02.8	－	4	BKR5EKUD
	2500	EA5W.EC5W	6A13	01.4～98.8	ISO	各3	BKR6E-11
	2500	EC5W	6A13(ターボ)	96.8～02.8	ISO	6	PFR6J

SUBARU

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
BRZ	2000	ZC6	FA20(DOHC)	12.3～	－	4	ZXE27HBR8
R2	660	RC1.RC2	EN07(SOHC)	03.12～10.3	ISO	4	BKR5E-11
	660	RC1.RC2	EN07(DOHC)	03.12～10.3	－	4	LKR7AI
	660	RC1.RC2	EN07(DOHC.S/C)	03.12～10.3	－	4	KR8BI
XV	2000	GP7	FB20(DOHC)	12.10～	－	4	SILZKAR7B11
XVハイブリッド	2000	GPE	FB20(DOHC)	13.6～	－	4	DILZKAR7B11
	1500	GC1.2.GF1.2	EJ15	92.11～00.8	ISO	4	BKR6E-11
	1500	GG2.3	EJ15	00.8～07.6	ISO	4	PFR5B-11
	1500	GD2.3	EJ15	03.9～07.6	ISO	4	PFR5B-11
	1500	GDC.GDD	EL15(DOHC)	06.6～07.6	L	4	ILFR6B

インプレッサ

1500	GGC.GGD	EL15(DOHC)	06.6～07.6	L	4	ILFR6B
1500	GH2.3	EL15(DOHC)	07.6～11.12	L	4	DILFR6D11
1600	GC4.GF3.4	EJ16	92.11～96.9	ISO	4	BKR6E-11
1800	GC6.GF5.6.GFA	EJ18	92.11～00.8	ISO	4	BKR6E-11
2000	GC8.GF8	EJ20	96.1～98.9	ISO	4	BKR6E-11
2000	GC8.GF8	EJ20	98.9～00.8	ISO	4	PFR6G
2000	GC8.GF8	EJ20(ターボ)	92.11～96.9	ISO	4	PFR6G
2000	GC8.GF8	EJ20(ターボ)	96.9～00.8	ISO	4	PFR6B
2000	GG9.GD9	EJ20	00.8～01.10	ISO	4	PFR6G
2000	GG9.GD9	EJ20	01.10～07.6	ISO	4	KJ20SR11
2000	GGA.GDA	EJ20(DOHCターボ)	00.8～07.6	ISO	4	PFR6G
2000	GGB.GDB	EJ20(DOHCターボ)	00.10～07.6	ISO	4	PFR7G
2000	GH6.7	EJ20(SOHC)	07.6～11.12	ISO	4	PFR5B-11
2000	GH8	EJ20(DOHCターボ)	07.6～11.12	L	4	ILFR6B
2000	GJ6.7.GP6.7	FB20(DOHC)	11.12～	-	4	SILZKAR7B11
2000	GRB(STI)	EJ20(DOHCターボ)	07.10～	-	4	SILFR6A6
2000	GVB(STI)	EJ20(DOHCターボ)	10.7～	-	4	SILFR6A6
2200	GC8(22B STI)	EJ22(DOHCターボ)	98.3～98.9	ISO	4	PFR6B
2500	GRF(STI A-Line)	EJ25(DOHCターボ)	09.2～	L	4	SILFR6A
2500	GVF(STI A-Line)	EJ25(DOHCターボ)	09.2～	L	4	SILFR6A

ヴィヴィオ	660	KK3.4.KY3	EN07(EMPi)	92.3～94.3	ISO	4	BKR6E-11
	660	KK3.4.KY3	EN07(EMPi)	94.3～98.10	ISO	4	BKR6E-11
	660	KK3.4.KY3	EN07(SOHC.S/C)	92.3～98.10	ISO	4	BKR6E
	660	KK3.4.KY3	EN07(SOHC.S/C)	92.3～96.11	-	4	DCPR7E
	660	KK3.4.KY3	EN07(SOHC.S/C)	96.11～98.10	-	4	DCPR8E
	660	KK3.4(ECVT車)	EN07(SOHC.S/C)	97.5～98.10	-	4	DCPR7E
	660	KW3.4	EN07(キャブ)	92.3～96.3	ISO	4	BKR5E-11
	660	KW3.4	EN07(キャブ)	96.3～98.10	ISO	4	BKR4E-11
エクシーガ	2000	YA4.5	EJ20(DOHC)	08.6～09.9	L	4	SILFR6A11
	2000	YA4.5(CVT)	EJ20(DOHC)	09.9～	L	4	SILFR6C11
	2000	YA4.5(4AT)	EJ20(DOHC)	09.9～	L	4	SILFR6A11
	2000	YA5	EJ20(DOHCターボ)	08.6～	L	4	ILFR6B
	2500	YA9(CVT)	EJ25(SOHC)	09.12～12.7	ISO	4	SIFR6A11
	2500	YAM(CVT)	EB25(DOHC)	12.7～	-	4	SILZKAR7B11
ファミリスター	2000	SF5	EJ20	97.7～00.1	ISO	4	PFR6B-11
	2000	SF5	EJ20	00.1～02.2	ISO	4	PFR6B-11
	2000	SF5	EJ20(DOHCターボ)	97.2～02.2	ISO	4	PFR6B
	2000	SG5	EJ20(SOHC)	02.2～07.12	ISO	4	PFR5B-11
	2000	SG5	EJ20(DOHCターボ)	02.2～07.12	ISO	4	PFR6G
	2000	SH5	EJ20(DOHC)	07.12～10.10	L	4	SILFR6A11

ノオレヘター

ノオレヘター	2000	SH5	EJ20(DOHCターボ)	07.12～10.10	L	4	ILFR6B
	2000	SHJ.SJ5	FB20(DOHC)	10.10～	-	4	SILZKAR7B11
	2000	SJG	FA20(DOHCターボ)	12.11～	-	4	ILKAR8H6
	2500	SF9	EJ25(DOHC)	98.9～02.2	ISO	4	PFR6B-11
	2500	SG9(STI)	EJ25(DOHCターボ)	04.2～07.12	L	4	ILFR6B
	2500	SH9	EJ25(DOHCターボ)	10.10～12.11	L	4	SILFR6A
プレオ	660	RA1.2	EN07(SOHC)	98.10～07.6	ISO	4	BKR5E-11
	660	RA1.2	EN07(SOHCマイルドチャージ)	98.10～07.6	ISO	4	BKR6E
	660	RA1.2	EN07(SOHCスーパーチャージャー)	98.10～01.10	ISO	4	BKR6E
	660	RA1.2	EN07(DOHCスーパーチャージャー)	98.10～01.10	-	4	DCPR8EVX
	660	RA1.2	EN07(DOHCスーパーチャージャー)	01.10～04.1	-	4	KR8BI
	660	RV1.2	EN07(SOHC)	98.10～10.1	ISO	4	BKR5E-11
	660	L275F.L285F	KF-VE(DOHC)	10.4～11.7	-	3	LKR6C
	660	L275F.L285F	KF-DET(DOHCターボ)	10.4～	-	3	ILKR7D8
	660	L275F	KF(DOHC)	11.7～	-	3	LKR6C
	660	L285F(除くCVT車)	KF(DOHC)	11.7～	-	3	LKR6C
	660	L285F(CVT)	KF(DOHC)	11.7～	-	3	ILKR6F11
	1800	BC2.3.BCK.BF3	EJ18	89.2～93.9	ISO	4	BKR6E-11
	1800	BD2.3.BG2.3	EJ18	94.6～98.12	ISO	4	BKR6E-11
	2000	BC4.5.BCL.BF4.5.BFA	EJ20(SOHC)	91.6～93.9	ISO	4	BKR6E-11

レガシィ

2000	BC4.5.BCA.BCL.BCM.BF5.BF A	EJ20(DOHC)	89.2～91.6	ISO	4	BKR6B-11
2000	BC4.5.BCA.BCM.BF5.BFA (A/T車)	EJ20(DOHC)	91.6～92.6	ISO	4	BKR6E-11
2000	BC4.5.BCM.BF5.BFA(M/T車)	EJ20(DOHC)	91.6～92.6	ISO	4	BKR6EVX-11
2000	BC4.5.BCA.BCL.BCM.BF5.BF A	EJ20(DOHC)	92.6～93.10	ISO	4	PFR6G-11
2000	BC5.BF5	EJ20(DOHCターボ)	89.2～91.6	ISO	4	PFR6B
2000	BC5.BF5	EJ20(DOHCターボ)	91.6～92.6	ISO	4	BKR6EVX
2000	BC5.BF5	EJ20(DOHCターボ)	92.6～93.10	ISO	4	PFR6G
2000	BD4.5	EJ20(SOHC)	93.10～94.10	ISO	4	BKR6E-11
2000	BD4.5.BG4.5.A	EJ20(SOHC)	94.10～98.12	ISO	4	BKR6E-11
2000	BD5.BG5	EJ20(SOHC'リンパーン)	96.6～98.12	ISO	4	BKR6B-11
2000	BD4.5.BG5	EJ20(DOHC)	93.10～94.10	ISO	4	PFR6G-11
2000	BD4.5.BG5	EJ20(DOHC)	94.10～98.12	ISO	4	BKR6B-11
2000	BD5.BG5	EJ20(DOHCターボ)	95.10～98.12	ISO	4	PFR6G
2000	BE5	EJ20(SOHC)	02.4～03.5	ISO	4	BKR5B-11
2000	BE5	EJ20(DOHC)	98.12～01.5	ISO	4	PFR6G
2000	BE5	EJ20(DOHC)	01.5～03.5	ISO	4	PK20PR-P8
2000	BE5	EJ20(DOHCターボ)	98.12～03.5	ISO	4	PFR6G
2000	BH5	EJ20(SOHC'リンパーン)	98.6～00.5	ISO	4	BKR6B-11
2000	BH5	EJ20(SOHC)	00.5～03.5	ISO	4	BKR5B-11
2000	BH5	EJ20(DOHC)	98.6～01.5	ISO	4	PFR6G

レガシィ

2000	BH5	EJ20(DOHC)	01.5～03.5	ISO	4	KJ20SR11
2000	BH5	EJ20(DOHCターボ)	98.6～03.5	ISO	4	PFR6G
2000	BP5	EJ20(SOHC)	03.5～09.5	ISO	4	BKR5B-11
2000	BP5	EJ20(DOHC)	03.5～09.5	L	4	ILFR6B
2000	BP5	EJ20(DOHCターボ)	03.5～09.5	ISO	4	IFR6B
2000	BL5	EJ20(SOHC)	03.6～09.5	ISO	4	BKR5B-11
2000	BL5	EJ20(DOHC)	03.6～09.5	L	4	ILFR6B
2000	BL5	EJ20(DOHCターボ)	03.6～09.5	L	4	ILFR6B
2000	BES(S401 STi)	EJ20(DOHCターボ)	02.10～	ISO	4	PFR6G
2000	BMG.BRG(CVT)	FA20(DOHCターボ)	12.5～	-	4	ILKAR8H6
2200	BF7.BFB	EJ22	92.5～93.10	ISO	4	BKR6E-11
2200	BG7.BGB	EJ22	93.10～96.6	ISO	4	BKR6E-11
2500	BD9.BG9.BGC	EJ25(DOHC)	94.10～98.12	ISO	4	BKR6B-11
2500	BH9.BHC	EJ25(DOHC)	98.6～01.5	ISO	4	BKR6B-11
2500	BH9.BE9	EJ25(DOHC)	01.5～03.5	ISO	4	KJ20SR11
2500	BP9	EJ25(SOHC)	03.10～09.5	ISO	4	PFR5B-11
2500	BP9(S402 STi)	EJ25(DOHCターボ)	08.6～09.2	L	4	SILFR6A
2500	BL9	EJ25(SOHC)	07.11～09.5	ISO	4	PFR5B-11
2500	BL9(S402 STi)	EJ25(DOHCターボ)	08.6～09.2	L	4	SILFR6A
2500	BPH	EJ25(DOHCターボ)	08.5～12.5	L	4	SILFR6A

	2500	BM9.BR9	EJ25(SOHC)	09.5～12.5	ISO	4	SIFR6A11
	2500	BM9.BR9	EJ25(DOHCターボ)	09.5～12.5	L	4	SILFR6A
	2500	BMM.BRM(CVT)	FB25(DOHC)	12.5～	–	4	SILZKAR7B11
	3000	BHE	EZ30(DOHC)	00.5～03.5	L	6	PLFR6A-11
	3000	BEE	EZ30(DOHC)	01.1～03.5	L	6	PLFR6A-11
	3000	BPE	EZ30(DOHC)	03.9～	L	6	ILFR6B
	3000	BLE	EZ30(DOHC)	03.9～	L	6	ILFR6B4

SUZUKI

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
Kei	660	HN11S	F6A(2バルブ.ターボ)	98.10～01.4	B	3	BPR5E
	660	HN12S	F6A(2バルブ.ターボ)	01.4～01.10	B	3	BPR5E
	660	HN21S	K6A(4バルブ.DOHC)	98.10～01.4	–	3	DCPR7E
	660	HN21S	K6A(4バルブ.DOHCターボ)	98.10～01.4	–	3	KR7AI
	660	HN22S	K6A(4バルブ.DOHC)	01.4～02.11	–	3	DCPR7E
	660	HN22S	K6A(4バルブ.DOHC)	02.11～09.10	–	3	KR7AI
	660	HN22S	K6A(4バルブ.DOHCターボ)	01.4～09.10	–	3	KR7AI
	660	MF21S	K6A(4バルブ.DOHC)	01.12～06.1	–	3	DCPR7E
	660	MF21S	K6A(4バルブ.DOHCターボ)	01.12～06.1	–	3	KR7AI
	660	MF22S	K6A(DOHC)	06.1～09.6	–	3	KR7AI

MRワゴン	660	MF22S	K6A(DOHC)	09.6～11.1	－	3	LKR7BI8
	660	MF22S	K6A(DOHCターボ)	06.1～11.1	－	3	KR7AI
	660	MF33S	R06A(DOHC)	11.1～	－	3	ILMAR7A8
	660	MF33S	R06A(DOHCターボ)	11.1～	－	3	ILMAR7A8
SX4	1500	YA11S.YB11S	M15A	06.7～09.5	ISO	4	IFR6J11
	1500	YA11S.YB11S	M15A	09.5～	L	4	SILFR6A11
	2000	YA41S.YB41S	J20A	06.7～09.5	ISO	4	IFR5J11
アルトノワークス	660	CL21V.22V.CM21V.22V	F6A(2バルブ)	90.3～94.11	B	3	BPR5EY-11
	660	CL21V.22V.CM21V.22V	F6A(4バルブ)	90.3～94.11	－	3	DCPR7E
	660	CR22S.CS22S	F6A(4バルブ)	91.9～94.11	－	3	DCPR7E
	660	CR22S.CS22S	F6A(2バルブ.ターボ)	91.9～94.11	B	3	BPR5E
	660	CR22S.CS22S.CM22V	F6A(4バルブ.DOHCターボ)	91.9～94.11	－	3	DCP7EVX
	660	HA11S.HC11V.HD11V	F6A(2バルブ)	94.11～98.10	B	3	BPR5EY-11
	660	HA11S.HB11S	F6A(4バルブ)	94.11～98.10	－	3	DCP7E
	660	HA11S.HB11S	F6A(2バルブ.ターボ)	94.11～98.10	B	3	BPR5E
	660	HS21S.HB21S	F6A(4バルブ.DOHCターボ)	94.11～98.10	－	3	DCP7EVX
	660	HA12V	F6A(2バルブ.キャブ)	98.10～99.10	B	3	BPR5E-11
	660	HA12V	F6A(4バルブ.EPI)	99.10～00.12	－	3	DCPR7E
	660	HA12S	F6A(4バルブ.EPI)	98.10～00.12	－	3	DCPR7E
	660	HA12S	F6A(2バルブ.ターボ)	98.10～00.12	B	3	BPR5E

	660	HA22S	K6A(4バルブ.DOHC)	98.10～00.12	–	3	DCPR7E
	660	HA22S	K6A(リーンバーン)	98.10～01.4	–	3	IKR7A
	660	HA22S	K6A(4バルブ.DOHCターボ)	98.10～00.12	–	3	KR7AI
	660	HA23S.23V	K6A(DOHC)	00.12～04.9	–	3	DCPR7E
	660	HA23S.23V	K6A(リーンバーン)	01.4～04.9	–	3	KR7AI
	660	HA23S	K6A(4バルブ.DOHC)	01.11～04.9	–	3	DCPR7E
	660	HA24S	K6A(4バルブ.DOHC)	04.9～09.12	–	3	KR7AI
	660	HA24V	K6A(4バルブ.DOHC)	05.1～09.12	–	3	KR7AI
アルトノワークス	660	HA25S	K6A(DOHC)	09.12～	–	3	LKR7BI8
	660	HA25V	K6A(DOHC)	09.12～	–	3	LKR7BI8
アルトラパン	660	HE21S(2WD.CNo.～300000)	K6A(DOHC)	02.1～08.11	–	3	DCPR7E
	660	HE21S(2WD.CNo.300001～)	K6A(DOHC)	02.1～08.11	–	3	KR7AI
	660	HE21S(4WD)	K6A(DOHC)	02.1～08.11	–	3	DCPR7E
	660	HE21S	K6A(DOHCターボ)	02.10～08.11	–	3	KR7AI
	660	HE22S	K6A(DOHC)	08.11～	–	3	LKR7BI8
	660	HE22S	K6A(DOHCターボ)	08.11～	–	3	LKR7BI8
	1600	TA01V.01W.01R	G16A	88.5～90.8	B	4	BP5ES
	1600	TA01W.01R.TD01W	G16A	90.8～97.11	ISO	4	BKR6E
	1600	TA02W.TD02W	G16A	97.11～00.4	ISO	4	BKR6E-11
	1600	TA02W	G16A	00.4～00.12	ISO	4	IFR6J11

エスクード	1600	T74W	M16A	06.6～08.6	ISO	4	IFR6J11
	2000	TA11W.TD11W	H20A	94.12～96.10	ISO	4	BKR6E
	2000	TA51W.TD51W	J20A	96.10～97.11	ISO	4	BKR6E
	2000	TA52W.TD52W.TL52W	J20A	97.11～00.4	ISO	4	BKR6E-11
	2000	TL52W	J20A	00.4～05.5	ISO	4	IFR5J11
	2000	TD54W	J20A	05.5～08.6	ISO	4	IFR5J11
	2500	TD61W	H25A	96.10～97.11	ISO	6	BKR6E
	2500	TD62W	H25A	00.3～00.4	ISO	6	BKR6E-11
	2500	TD62W	H25A	00.4～03.6	ISO	6	IFR5J11
	2700	TD94W	H27A	05.6～08.6	ISO	6	IFR6J11
	3200	TDB4W	N32A	08.6～09.6	－	6	ITV16
カプチーノ	660	EA11R	F6A(ターボ)	91.11～95.5	－	3	DCP7EVX
	660	EA21R	K6A(ターボ)	95.5～98.10	－	3	DCP7EVX
グランドエスクード	2700	TX92W	H27A(DOHC)	00.12～03.6	ISO	6	IFR5J11
	2700	TX92W	H27A(DOHC)	03.6～05.5	ISO	6	IFR6J11
シボレークルーズ	1300	HR51S	M13A(DOHC.VVT)	01.11～03.11	ISO	4	IFR5E11
	1300	HR52S	M13A(DOHC.VVT)	03.11～08.6	ISO	4	IFR5J11
	1500	HR81S	M15A(DOHC.VVT)	01.11～03.11	ISO	4	IFR5E11
	1500	HR82S	M15A(DOHC.VVT)	03.11～06.5	ISO	4	IFR5J11
	660	JA11C.11V	F6A(2バルブ.ターボ)	90.3～95.11	ISO	3	BKR5E

ジムニー	660	JA12C.12V.12W	K6A(2バルブ.ターボ)	95.11～98.10	ISO	3	BKR5E
	660	JA22W	K6A(4バルブ.ターボ)	95.11～98.10	–	3	DCP7EVX
	660	JB23W	K6A(DOHCターボ)	99.10～08.6	–	3	KR7AI
	660	JB23W	K6A(DOHCターボ)	08.6～09.6	–	3	LKR7BI8
	660	JB31W	G13B	93.5～95.11	B	4	BKR5ES
	1300	JB32W	G13B	95.11～98.1	ISO	4	BKR6E
ジムニーシエラ	1300	JB43W	M13A	02.1～08.6	ISO	4	IFR5E11
	1300	JB43W	M13A	08.6～10.8	ISO	4	IFR5J11
	1300	JB43W	M13A	10.8～	ISO	4	IFR6J11
ジムニーワイド	1300	JB33W	G13B	98.1～00.4	ISO	4	BKR6E
	1300	JB43W	M13A	00.4～01.12	–	4	IKR5E11
スィフト	1200	ZC71S	K12B	07.5～10.9	–	4	IKR6G11
	1200	ZC72S.ZD72S	K12B	10.9～	–	4	IKR6G11
	1200	ZC72S.ZD72S	K12B(DJE)	13.7～	–	4	ZXU20HPR11
	1200	HT51S(CNo.～710000)	M13A	00.2～04.11	ISO	4	IFR5E11
	1300	HT51S(CNo.710001～)	M13A	00.2～04.11	ISO	4	IFR5J11
	1300	ZC11S.ZD11S	M13A	04.11～10.9	ISO	4	IFR6J11
	1500	HT81S	M15A(DOHC.VVT)	03.6～04.11	ISO	4	IFR6J11
	1500	ZC12S.ZD12S	M15A	04.11～10.9	ISO	4	IFR6J11
	1600	ZC31S	M16A	05.9～10.9	ISO	4	IFR6J11

	1600	ZC32S	M16A(DOHC.VVT)	11.12～	L	4	SILFR6A11
セルボモード／セルボC	660	CN21S.22S.CP21S.22S	F6A(4バルブ)	90.11～98.10	－	3	DCP7E
	660	CN21S.22S.CP21S.22S	F6A(2バルブ.ターボ)	90.7～98.10	B	3	BPR5E
	660	CN31S.32S.CP31S.32S	F6A(4バルブ.DOHCターボ)	90.7～98.10	－	4	DCPR7EVX
ハスラー	660	MR31S	R06A(DOHC)	14.1～	－	3	ILMAR7A8
	660	MR31S	R06A(DOHCターボ)	14.1～	－	3	ILMAR7A8
ワゴンR	660	CT21S.CV21S	F6A(4バルブ)	93.9～98.10	－	3	DCP7E
	660	CT21S.CV21S	F6A(2バルブ.ターボ)	95.2～98.10	B	3	BPR5E
	660	CT51S.CV51S	K6A(4バルブ)	97.4～98.10	－	3	DCPR7EVX
	660	CT51S.CV51S	K6A(4バルブ.ターボ)	97.4～98.10	－	3	DCPR7EVX
	660	CT51S.CV51S(コラムAT車)	F6A	97.11～98.10	－	3	DCP7E
	660	MC11S	F6A(4バルブ)	98.10～99.10	－	3	DCPR7E
	660	MC11S	F6A (GNG)	98.10～01.11	B	3	BPR5E3
	660	MC11S	F6A(2バルブ.ターボ)	99.6～	－	3	DCPR9EVX
	660	MC12S	F6A(2バルブ.ターボ)	00.12～01.11	B	3	BPR5E
	660	MC21S	K6A(4バルブ)	98.10～00.12	－	3	DCPR7E
	660	MC21S	K6A(DOHCターボ)	98.10～00.12	－	3	KR7AI
	660	MC22S	K6A(DOHC)	00.12～01.9	－	3	DCPR7E
	660	MC22S	K6A(DOHCターボ)	00.12～01.9	－	3	KR7AI
	660	MH21S.MH22S	K6A(DOHC)	03.9～08.9	－	3	KR7AI

	660	MH21S.MH22S	K6A(DOHCターボ)	03.9～08.9	–	3	KR7AI
	660	MH21S.MH22S	K6A(DOHCターボ.DI)	03.9～08.9	–	3	KR7AI
	660	MH23S	K6A(DOHC)	08.9～12.9	–	3	LKR7BI8
	660	MH23S	K6A(DOHCターボ)	08.9～12.9	–	3	LKR7BI8
	660	MH34S	R06A(DOHC)	12.9～	–	3	ILMAR7A8
	660	MH34S	R06A(DOHCターボ)	12.9～	–	3	ILMAR7A8
ワゴンRソリオ	1000	MA64S	K10A(DOHC)	00.12～02.10	–	4	DCPR7E
	1300	MA34S	K13A(DOHC)	00.12～02.6	ISO	4	IFR5E11
アルトノワークス	1300	MA34S	K13A(DOHC)	02.6～05.8	ISO	4	IFR5J11
ワゴンRプラス	1000	MA63S	K10A(DOHC)	99.5～00.12	–	4	DCPR7E
	1000	MA63S	K10A(DOHCターボ)	99.5～00.12	–	4	KR7AI
ワゴンRワイド	1000	MA63S.MB61S	K10A(DOHC)	97.2～99.5	–	4	DCPR7E
	1000	MA63S.MB61S	K10A(DOHCターボ)	97.2～99.5	–	4	DCPR7EVX

DAIHATSU

車名	排気量	車両型式	エンジン型式	年式	Racing Plug (イリジウム)	プラグ本数	標準プラグ
YRV	1000	M20G	EJ-VE(DOHC)	00.8～02.12	ISO	3	BKR5EKC
	1300	M201G.211G	K3-VE(DOHC)	00.8～05.7	ISO	4	BKR6EY-11
	1300	HA11S.HB11S	K3-VET(DOHCターボ)	00.8～05.7	ISO	4	PFR6G
エッセ	660	L235S.245S	KF-VE	05.12～11.11	–	3	LKR6C

コペン	660	L880K	JB-DET(DOHCターボ)	02.6~10.8	ISO	4	IFR6J
	660	L880K	JB-DET(DOHCターボ)	10.8~12.8	ISO	4	BKR6ETP
シャレード	1300	G200S	HC-E	93.1~00.3	ISO	4	BKR6E-11
	1500	G203G.213S	HE-EG	93.8~00.3	ISO	4	BKR6E-11
	1600	G201S	HD-EG	93.8~00.3	ISO	4	BKR6E-11
ストーリーア	700	M112S(X4)	JC-DET(DOHCターボ)	98.04~04.5	ISO	3	R7433-9
	1000	M100S.110S	EJ-DE	98.02~00.5	ISO	3	BKR5E-11
	1000	M100S.110S	EJ-VE(DOHC)	00.5~04.6	ISO	3	BKR5EKC
	1300	M101S.111S	K3-VE2(DOHC)	00.5~04.6	ISO	3	BKR6EY-11
タント／カスタム	660	L350S.360S	EF-VE(DOHC)	03.11~07.12	ISO	3	BKUR6E
	660	L350S.360S	EF-DET(DOHCターボ)	03.11~05.6	ISO	3	BKUR6EK-9
	660	L350S.360S	EF-DET(DOHCターボ)	05.6~07.12	ISO	3	SK20R11
	660	L375S.385S	KF-VE(DOHC)	07.12~11.6	-	3	LKR6C
	660	L375S.385S	KF(DOHC)	11.6~11.11	-	3	ILKR6F11
	660	L375S.385S	KF(DOHC)	11.11~	-	3	ILKR6F11
	660	L375S.385S	KF-DET(DOHCターボ)	07.12~	-	3	ILKR7D8
	660	LA600S.610S	KF(DOHC)	13.10~	-	3	ILKR6F11
	660	LA600S.610S	KF(DOHCターボ)	13.10~	-	3	ILKR7D8
	660	L750S.760S	EF-VE(DOHC)	99.11~01.10	ISO	3	BKUR6EK-9
	660	L750S.760S	EF-DET(ターボ)	00.11~01.10	ISO	3	BKUR6EK-9

ネイキット	660	L750S	EF-VE(DOHC)	01.10~04.4	ISO	3	BKUR6EK-9
	660	L750S	EF-DET(ターボ)	01.10~04.4	ISO	3	BKUR6EK-9
	660	L760S	EF-VE(DOHC)	01.10~04.4	ISO	3	IFR6J11
	660	L760S	EF-DET(ターボ)	01.10~04.4	ISO	3	IFR6J11
ブーン	900	M312S	KJ-VET	06.3~10.2	-	4	IKR7E9
	1000	M300S	1KR-FE	04.6~10.2	L	3	ILFR6C11
	1000	M310S	1KR-FE	04.6~10.2	L	3	ILFR6C11
	1000	M600S.610S	1KR-FE(DOHC)	10.2~14.4	L	3	ILFR6C11
	1000	M600S.610S	1KR-FE(DOHC)	14.4~	L	3	SK20HR11
	1300	M301S	K3-VE	04.6~06.12	ISO	4	IFR6J11
	1300	M301S	K3-VE	06.12~07.6	-	4	IKR7D
	1300	M301S	K3-VE	07.6~10.2	-	4	DCPR7EA-9
	1300	M601S	1NR-FE	10.2~	-	4	ILKAR7B11
ミゼット2	660	K100P.100C	EF-CK	96.4~99.8	B	3	BPR5ES
	660	K100P.100C	EF-SE	99.8~01.7	ISO	3	BKR6E-11
	660	K700S.701C.700V.710V	EF-SE	98.10~02.12	ISO	3	BKR6E-11
	660	L700S.710S	EF-VE(DOHC)	98.10~01.10	ISO	3	BKUR6EK-9
	660	L700S	EF-VE(DOHC)	01.10~02.12	ISO	3	BKUR6EK-9
	660	L710S	EF-VE(DOHC)	01.10~02.12	ISO	3	IFR6J11
	660	L700S	EF-VE2(DOHC)	01.10~02.12	ISO	3	BKUR6EK-9

ミラ

660	L700S.710S	EF-DET(DOHCターボ)	98.10～01.10	ISO	3	BKUR6EK-9
660	L700S	EF-DET(DOHCターボ)	01.10～02.12	ISO	3	BKUR6EK-9
660	L710S	EF-DET(DOHCターボ)	01.10～02.12	ISO	3	IFR6J11
660	L700V.710V	EF-VN(CNG)	98.11～02.12	-	3	IFR7F-D
660	L250S.260S.250V.260V	EF-SE	02.12～06.12	ISO	3	BKR6E-11
660	L250S.260S.250V	EF-VE(DOHC)	02.12～04.12	ISO	3	BKUR6EK-9
660	L250S	EF-VD(直噴)	02.12～06.12	-	3	ILKR7A-11T
660	L250V.260V	EF-VN(CNG)	02.12～06.12	-	3	IFR7F-D
660	L275V.285V	KF-VE(DOHC)	07.12～11.7	-	3	LKR6C
660	L275S.275V.285V	KF(DOHC)	11.7～	-	3	LKR6C
660	L275V	KF-VE(CNG)	08.2～	-	3	ILKR8D6D
660	L275S.285S	KF-VE(DOHC)	06.12～11.7	-	3	LKR6C
660	L275S.285S	KF-DET(DOHCターボ)	06.12～	-	3	ILKR7D8
660	L285S	KF(DOHC)	11.7～	-	3	LKR6C
660	L285S(CVT)	KF(DOHC)	11.7～	-	3	ILKR6F11
660	L200S.210S.220S	JB-JL(SOHCターボ)	90.3～94.9	JIS	3	BCPR7EKD
660	L200V	EF-XL(SOHCターボ)	90.3～92.8	B	3	BPR6EK-A
660	L500S	JB-JL(SOHCターボ)	94.9～95.10	JIS	3	BCPR7EKD
660	L500S	EF-RL(DOHCターボ)	95.12～	ISO	3	BKUR7EK
660	L502S.512S	JB-JL(DOHCターボ)	94.9～98.10	ISO	3	BKUR7EK

ミラ TR-XX

	660	L512S(アバンツァート)	JB-JL(DOHCターボ)	94.9～98.10	ISO	4	BKUR7EK
ミラ アヴィ	660	L250S.260S	EF-VE(DOHC)	02.12～04.12	ISO	3	BKUR6EK-9
	660	L250S.260S	EF-VE(DOHC)	04.12～07.12	ISO	3	BKUR6E
	660	L250S.260S	EF-DET(DOHCターボ)	02.12～07.12	ISO	3	BKUR6EK-9
ミライース	660	LA300S.310S	KF(DOHC)	11.9～	-	3	ILKR6F11
ミラココア	660	L675S.685S	KF-VE(DOHC)	09.8～11.6	-	3	LKR6C
ミラココア	660	L675S	KF-VE(DOHC)	11.6～12.4	-	3	LKR6C
	660	L685S	KF(DOHC)	11.6～12.4	-	3	ILKR6F11
	660	L675S.685S	KF(DOHC)	12.4～	-	3	ILKR6F11
ミラ ジーノ	660	L700S.710S	EF-VE(DOHC)	99.3～04.11	ISO	3	BKUR6EK-9
	660	L700S.710S	EF-DET(DOHCターボ)	99.3～04.11	ISO	3	BKUR6EK-9
	660	L650S.660S	EF-VE(DOHC)	04.11～09.3	ISO	3	BKUR6E
	1000	L701S	EJ-VE(DOHC)	02.8～04.6	ISO	3	BKR5EKC
	1000	L711S	EJ-VE(DOHC)	02.8～04.6	ISO	3	BKR5EKC
	660	L600S	EF-GL(DOHC)	95.8～00.10	ISO	3	BKUR6EK
	660	L600S.610S	EF-ZL(DOHC)	95.8～00.10	ISO	3	BKUR7EK
	660	L602S	JB-JL(DOHCターボ)	95.8～00.10	ISO	3	BKUR7EK
	660	L600S.610S	EF-RL(DOHCターボ)	96.6～00.10	ISO	3	BKUR7EK
	660	L900S.910S	EF-SE	98.10～02.10	ISO	3	BKUR6E-11
	660	L900S.910S	EF-VE(DOHC)	98.10～01.10	ISO	3	BKUR6EK-9

ムーブ／カスタム

660	L900S.910S	EF-DET(DOHCターボ)	98.10～01.10	ISO	3	BKUR6EK-9
660	L900S	EF-VE(DOHC)	01.10～02.10	ISO	3	BKUR6EK-9
660	L900S	EF-DET(DOHCターボ)	01.10～02.10	ISO	3	BKUR6EK-9
660	L910S	EF-VE(DOHC)	01.10～02.10	ISO	3	IFR6J11
660	L910S	EF-DET(DOHCターボ)	01.10～02.10	ISO	3	IFR6J
660	L902S	JB-DET(DOHCターボ)	98.10～01.10	ISO	4	BKR6EKC
660	L902S.912S	JB-DET(DOHCターボ)	01.10～02.10	ISO	4	IFR6J
660	L150S.160S	EF-VE(DOHC)	02.10～04.12	ISO	3	BKUR6EK-9
660	L150S	EF-VE(DOHC)	04.12～06.10	ISO	3	BKUR6E
660	L150S(CVT)	EF-VE(DOHC)	04.12～06.10	ISO	3	BKUR6EK-9
660	L160S	EF-VE(DOHC)	04.12～06.10	ISO	3	BKUR6E
660	L150S.160S	EF-DET(DOHCターボ)	02.10～04.12	ISO	3	IFR6J
660	L150S.160S	EF-DET(DOHCターボ)	04.12～06.10	ISO	3	SVK20RZ11
660	L152S	JB-DET(DOHCターボ)	02.10～06.10	ISO	4	IFR6J
660	L175S.185S	KF-VE(DOHC)	06.10～10.12	-	3	LKR6C
660	L175S.185S	KF-DET(DOHCターボ)	06.10～10.12	-	3	ILKR7D8
660	LA100S.110S	KF-VE(DOHC)	10.12～11.11	-	3	ILKR6F11
660	LA100S.110S	KF-VE(DOHC)	11.11～	-	3	ILKR6F11
660	LA100S.110S	KF-DET(DOHCターボ)	10.12～	-	3	ILKR7D8
660	L575S.585S	KF-VE(DOHC)	08.8～11.6	-	3	LKR6C

ムーヴコンテ／カスタム	660	L575S.585S	KF(DOHC)	11.6～12.4	－	3	ILKR6F11
	660	L575S.585S	KF(DOHC)	12.4～	－	3	ILKR6F11
	660	L575S.585S	KF-DET(DOHCターボ)	08.8～	－	3	ILKR7D8
ムーヴラテ	660	L550S.560S	KF-VE(DOHC)	04.8～09.3	－	3	LKR6C
	660	L550S.560S	KF-DET(DOHCターボ)	04.8～09.3	－	3	ILKR7D8